

PRODUCT-DETAILS

M2SSV2-11G M2SSV2-11G Selector Switch



| Extended Product Type | M2SSV2-11G |
|------------------------|---|
| Product ID | 1SFA611221R1102 |
| EAN | 7320500301593 |
| Catalog Description | M2SSV2-11G Selector Switch |
| Long Description | The M2SSV2-11G Selector Switch is: 2-position - Maintained - Short handle - Green - Illuminated - Black Plastic - No contact block This Selector Switch is part of ABB's modular plastic range, the most versatile range with a high level of flexibility and market-leading electrical ratings. Engineered for total reliability, longer lifetime, and highest mechanical durability. Self-cleaning contacts ensure reliable operation without the need for maintenance, increasing uptime. A high degree of protection guarantees reliability in extreme environments. The innovative design simplifies the entire process, from selection to easy and quick, tool-free installation. The perfect solution for every application. |
| Ordering | |
| Minimum Order Quantity | 10 piece |

| Minimum Order Quantity | 10 piece |
|--------------------------------------|-----------------|
| Customs Tariff Number | 8536501999 |
| | |
| Popular Downloads | |
| Data Sheet, Technical Information | 1SFC151007C02 |
| Instructions and Manuals | 1SFC151011M0201 |

| Dimensions | |
|-------------------------------|----------|
| Product Net Width | 0.048 m |
| Product Net Height | 0.03 m |
| Product Net Depth / Length | 0.05 m |
| Product Net Weight | 0.025 kg |

| Technical | |
|-----------------------|----------------------|
| Ambient Air | Operation -25 +70 °C |
| Temperature | Storage -40 +85 °C |
| Color | Green |
| Actuator Type | Short handle |
| Bezel Material | Black Plastic |
| Illumination | Illuminated |
| Function | Maintained |
| Sub-Function | 2-position |
| Maintained Positions | А, С |
| Degree of Protection | Front IP66 |
| Enclosure Type NEMA | Type1 |
| | Type12 |
| | Туре13 |
| | Type3R |
| | Type4 |
| | Туре4Х |
| Mechanical Durability | 0.5 million |

| Environmental | |
|------------------|--|
| RoHS Status | Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019 |
| RoHS Date | 0635 4 |
| RoHS Information | 2CMT2015-005452 |
| WEEE Category | Product Not in WEEE Scope |
| WEEE B2C / B2B | Business To Business |

| Certificates and Declarations (Document Number) | |
|---|-----------------|
| cULus Certificate | 9AKK107046A9925 |
| Declaration of Conformity - CE | 2CMT2015-005452 |
| DNV GL Certificate | E-14107 |
| Environmental Information | 1SAC200072H0001 |
| Instructions and Manuals | 1SFC151011M0201 |
| RoHS Information | 2CMT2015-005452 |

| Container Information | |
|-----------------------------------|---------------|
| Package Level 1 Units | bag 1 piece |
| Package Level 1 Width | 0.11 m |
| Package Level 1 Depth / Length | 0.15 m |
| Package Level 1 Height | 0.03 m |
| Package Level 1 Gross Weight | 0.025 kg |
| Package Level 1 EAN | 7320500301593 |

| Classifications | |
|-------------------------------|--|
| Object Classification Code | S |
| ETIM 6 | EC000222 - Front element for selector switch |
| ETIM 7 | EC000222 - Front element for selector switch |
| ETIM 8 | EC000222 - Front element for selector switch |
| eClass | V11.0 : 27371213 |
| UNSPSC | 39121500 |
| E-Number (Finland) | 2339613 |

Categories

Low Voltage Products and Systems \rightarrow Control Products \rightarrow Pilot Devices \rightarrow Modular Plastic Range

