

## General Information

|                        |                                   |
|------------------------|-----------------------------------|
| Extended Product Type: | MCBH-011                          |
| Product ID:            | 1SFA611605R1210                   |
| EAN:                   | 7320500307595                     |
| Catalog Description:   | MCBH-011 Contact block            |
| Long Description:      | Modular contact block with holder |

## Categories

Products » Low Voltage Products and Systems » Control Products » Pilot Devices » Pilot Devices - Modular Range

## Ordering

|                         |               |
|-------------------------|---------------|
| EAN:                    | 7320500307595 |
| Minimum Order Quantity: | 10 piece      |
| Customs Tariff Number:  | 85369001      |

## Dimensions

|                     |          |
|---------------------|----------|
| Product Net Width:  | 0.048 m  |
| Product Net Height: | 0.030 m  |
| Product Net Depth:  | 0.036 m  |
| Product Net Weight: | 0.033 kg |

## Container Information

|                               |          |
|-------------------------------|----------|
| Package Level 1 Units:        | 1 piece  |
| Package Level 1 Width:        | 0.11 m   |
| Package Level 1 Height:       | 0.03 m   |
| Package Level 1 Length:       | 0.15 m   |
| Package Level 1 Gross Weight: | 0.033 kg |

## Environmental

|              |                                                                 |
|--------------|-----------------------------------------------------------------|
| RoHS Status: | Following EU Directive 2002/95/EC August 18, 2005 and amendment |
|--------------|-----------------------------------------------------------------|

## Additional Information

|                                                    |                                                                                                      |
|----------------------------------------------------|------------------------------------------------------------------------------------------------------|
| Accessory Type:                                    | Contact blocks and holders                                                                           |
| Block:                                             | Single contact block and MLB-1 lampblock                                                             |
| Degree of Protection:                              | acc. to IEC 60529, IEC 60947-1, EN 60529 Auxiliary Terminals IP20                                    |
| Device:                                            | Holder for blocks incl.                                                                              |
| Function:                                          | With 3-position holder                                                                               |
| IIT Publishing Status:                             | Level 0 - Information enabled                                                                        |
| Illumination:                                      | Non-illuminated                                                                                      |
| Lamp Type:                                         | Socket for max 230V AC / DC filament bulb or LED                                                     |
| Mechanical Durability:                             | 10 million                                                                                           |
| Number of Auxiliary Contacts NC:                   | 1                                                                                                    |
| Number of Auxiliary Contacts NO:                   | 1                                                                                                    |
| Product Main Type:                                 | MCBH                                                                                                 |
| Product Name:                                      | Contact block                                                                                        |
| Product Range:                                     | Modular range                                                                                        |
| Product Type:                                      | MCBH                                                                                                 |
| Rated Frequency (f):                               | Supply Circuit 50 Hz<br>Supply Circuit 60 Hz                                                         |
| Rated Operational Current AC-15 (I <sub>e</sub> ): | (220 / 240 V) 6 A<br>(24 / 127 V) 8 A                                                                |
| Rated Operational Current DC-13 (I <sub>e</sub> ): | (125 V) 1.1 A<br>(24 V) 5 A                                                                          |
| RoHS Date:                                         | 0635 4                                                                                               |
| Suitable For:                                      | MP1<br>MP2<br>MP3<br>MP4<br>MPD1<br>MPD2<br>MPD3<br>MPD4<br>MPD5<br>MPD11<br>MPD12<br>MPD13<br>MPD14 |

MPD15  
MPD16  
MPM1  
MPM2  
KP6  
MPET3  
MPEP3  
MPEK3  
MPET4  
MPEP4  
MPEK4  
MPMT3  
MPMT4  
MPMP3  
MPMP4  
M2SS1  
M2SS2  
M2SS3  
M2SS4  
M2SS5  
M2SS6  
M3SS1  
M3SS2  
M3SS3  
M3SS4  
M3SS5  
M3SS6  
M3SS7  
M3SS8  
M3SSC1  
M3SSC2  
M3SSC3  
M3SSC4  
M3SSC5  
M3SSC6  
M3SSC7  
M3SSC8  
M2SSK1  
M2SSK2  
M2SSK3  
M3SSK1  
M3SSK2  
M3SSK3  
MTS1  
MTS2  
MTS3  
MJS1  
MJS2  
MJS5  
MJS6  
MJS7  
MJS8  
MJS11  
MJS12

Certificates and Declarations (Document Number)

|                                    |                 |
|------------------------------------|-----------------|
| Data Sheet, Technical Information: | 1SFC151003C0201 |
| Declaration of Conformity - CE:    | 1SFA1-83        |
| RoHS Information:                  | 1SFC151011D0203 |

Classifications

|                             |                                                    |
|-----------------------------|----------------------------------------------------|
| E-nummer:                   | 3714040                                            |
| ETIM 4.0:                   | EC002024 - Accessories for control circuit devices |
| ETIM 5.0:                   | EC002024 - Accessories for control circuit devices |
| Object Classification Code: | S                                                  |
| UNSPSC:                     | 39121500                                           |



