



PRODUCT-DETAILS

MP1-40B

MP1-40B Pushbutton



| General Information | |
|-----------------------|--|
| Extended Product Type | MP1-40B |
| Product ID | 1SFA611100R4006 |
| EAN | 7320500261439 |
| Catalog Description | MP1-40B Pushbutton |
| Long Description | <p>The MP1-40B Pushbutton is: Maintained - Flush - Black - Non-illuminated - Black Plastic - No contact block</p> <p>This Pushbutton is part of ABB's modular plastic range, the most versatile range with a high level of flexibility and market-leading electrical ratings. Engineered for total reliability, longer lifetime, and highest mechanical durability. Self-cleaning contacts ensure reliable operation without the need for maintenance, increasing uptime. A high degree of protection guarantees reliability in extreme environments. The innovative design simplifies the entire process, from selection to easy and quick, tool-free installation. The perfect solution for every application.</p> |

| Ordering | |
|------------------------|----------|
| Minimum Order Quantity | 1 piece |
| Customs Tariff Number | 85369001 |

| Popular Downloads | |
|-----------------------------------|-----------------|
| Data Sheet, Technical Information | 1SFC151003C0201 |
| Instructions and Manuals | 1SFC151003C0201 |

| Dimensions | |
|----------------------------|----------|
| Product Net Width | 0.03 m |
| Product Net Height | 0.048 m |
| Product Net Depth / Length | 0.039 m |
| Product Net Weight | 0.022 kg |

| Technical | |
|-------------------------|--|
| Ambient Air Temperature | Operation -25 ... +70 °C Storage -40 ... +85 °C |
| Color | Black |
| Actuator Type | Flush |
| Bezel Material | Black Plastic |
| Illumination | Non-illuminated |
| Function | Momentary |
| Mechanical Durability | 2 million |

| Material Compliance | |
|---|--|
| Conflict Minerals Reporting Template (CMRT) | 9AKK108467A5658 |
| REACH Declaration | 2CMT2022-006479 |
| RoHS Information | 2CMT2022-006498 |
| RoHS Status | Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019 |
| Toxic Substances Control Act - TSCA | 2CMT2023-006523 |
| WEEE B2C / B2B | Business To Business |
| WEEE Category | Product Not in WEEE Scope |

| Certificates and Declarations | |
|----------------------------------|-----------------|
| cULus Certificate | 9AKK107046A9925 |
| Declaration of Conformity - CE | 2CMT2015-005452 |
| Declaration of Conformity - UKCA | 2CMT2020-006121 |

| Container Information | |
|--------------------------------|-------------|
| Package Level 1 Units | bag 1 piece |
| Package Level 1 Width | 0.135 m |
| Package Level 1 Depth / Length | 0.145 m |
| Package Level 1 Height | 0.035 m |

| | |
|------------------------------|---------------|
| Package Level 1 Gross Weight | 0.025 kg |
| Package Level 1 EAN | 7320500261439 |

Classifications

| | |
|----------------------------|--|
| Object Classification Code | S |
| ETIM 7 | EC000221 - Front element for push button |
| ETIM 8 | EC000221 - Front element for push button |
| UNSPSC | 39121500 |

Categories

Low Voltage Products and Systems → Control Products → Pilot Devices → Modular Plastic Range → MP Pushbutton

