MS216A 1/3



PRODUCT-DETAILS

## **MS216A**

## MALE INSERT SCREW, A SERIES W/GND



General Information	
Extended Product Type	MS216A
Product ID	7TAA080360R0012
EAN	5415022228946
Catalog Description	MALE INSERT SCREW, A SERIES W/GND
Long Description	Male screw terminal insert. For use with A series, 16 contacts with ground.

Ordering	
EAN	5415022228946
UPC	786210791210
Country of Origin	Germany
Selling Unit of Measure	each

Container Information	
Package Level 1 Units	10 EA
Package Level 1 Width	63.5 mm

MS216A 2/3

	2.5 in
Package Level 1 Height	147.32 mm
	5.8 in
Package Level 1 Depth /	185.42 mm
Length	7.3 in

Additional Information	
Application	For use with A series
Brand / Label	Pos-E-Kon
Current Rating	10 A
Effective Date	19850514
Material	Glass-filled Thermoplastic
Product Name	"ELECTRICAL CONNECTORS, CYLINDR"
Product Type	Terminal Inserts-Male
Standards	CSA 70013
Voltage Rating	600 VA °C

Certificates and Declarations	
Data Sheet, Technical	MS216A
Information	

External Classifications and Standards	
ETIM 7	EC000438 - Contact insert for rectangular connectors
ETIM 8	EC000438 - Contact insert for rectangular connectors
UNSPSC	39121410
WEEE Category	Product Not in WEEE Scope
IDEA Granular Category Code (IGCC)	4550 >> Component terminal block

## Categories

 $Low\ Voltage\ Products\ and\ Systems\ \rightarrow\ Installation\ Products\ \rightarrow\ Wire\ Management\ and\ Connectivity\ \rightarrow\ Pin\ \&\ Sleeve\ Connectors$ 

MS216A 3/3

