



# 2 side panels stainless 304L, Scotch Brite® finish, for SFX H2000xD600mm

NSY2SPX206

#### Main

Range	PanelSeT
Accessory / separate part categor	Enclosure accessory
Product or component type	Side panel
Application	Multi-purpose
For enclosure nominal dimensions	-
Mounting location	Sides of enclosure
Quantity per set	Set of 1

## Complementary

Range compatibility	PanelSeT PanelSeT SFX
Device composition	fixing elements 2 side panel 1 sealing gasket
Material	Panels: stainless steel 304L Sealing gasket: polyurethane
Net weight	43 kg
Surface finish	Scotch-Brite® brushed
Fixing mode	By screws - from the outside of enclosure location
Height	Nominal: 2000 mm
Width	Nominal: 600 mm

### **Packing Units**

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	5.5 cm
Package 1 Width	63.5 cm
Package 1 Length	203.0 cm
Package 1 Weight	33.0 kg
Unit Type of Package 2	P2M
Number of Units in Package 2	12
Package 2 Height	70.0 cm
Package 2 Width	200.0 cm
Package 2 Length	120.0 cm

Package 2 Weight 431.0 kg

### **Contractual warranty**

Warranty 18 months



**Green Premium**<sup>TM</sup> **label** is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO<sub>2</sub> products.

**Guide to assessing product sustainability** is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >





Transparency RoHS/REACh

#### Well-being performance



Mercury Free



Rohs Exemption Information

Yes

#### **Certifications & Standards**

Reach Regulation	REACh Declaration
Eu Rohs Directive	Pro-active compliance (Product out of EU RoHS legal scope)
China Rohs Regulation	China RoHS declaration  Product out of China RoHS scope. Substance declaration for your information
Environmental Disclosure	Product Environmental Profile
Circularity Profile	No need of specific recycling operations