Product data sheet

Specifications





Mounting plate in galvanized steel, thickness 1.5 mm For boxes of H175W150 mm

NSYAMPM1916TB

Product availability: Non-Stock - Not normally stocked in distribution facility

Price*: 15.43 USD

Main

Range	Thalassa	
Accessory / separate part categor	Mounting accessory	
Product or Component Type	Mounting plate	
Device Application	Multi-purpose	
Enclosure nominal dimensions	-	
mounting location	Back studs	
Mounting plate description	Plain	
Range compatibility	Thalassa Thalassa TBS Thalassa Thalassa TBP	
Device composition	1 mounting plate	
Material	galvanised steel	

Complementary

Fixing mode	By screws M4 self tapping - on back studs	
Height	Nominal: 7.6 in (192 mm) Real: 5.5 in (140 mm)	
Width	Nominal: 6.5 in (164 mm) Real: 66.3 in (1685 mm)	
Thickness	0.06 in (1.5 mm)	
Net Weight	ght 0.2 lb(US) (0.1 kg)	

Ordering and shipping details

Category	US10ES180036	
Discount Schedule	0ES1	
GTIN	3606480166082	
Returnability	No	
Country of origin	IN	

Packing Units

Unit Type of Package 1	PCE	
Number of Units in Package 1	1	
Package 1 Height	0.08 in (0.2 cm)	

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

Package 1 Width	5.5 in (14.0 cm)	
Package 1 Length	6.7 in (17.0 cm)	
Package 1 Weight	9.2 oz (260.0 g)	
Unit Type of Package 2	CAR	
Number of Units in Package 2	10	
Package 2 Height	6.3 in (16.0 cm)	
Package 2 Width	1.6 in (4.0 cm)	
Package 2 Length	3.9 in (10.0 cm)	
Package 2 Weight	5.7 lb(US) (2.6 kg)	

Contractual warranty

Warranty 18 months



Green PremiumTM **label** is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >





Transparency RoHS/REACh

Well-being performance

②	Reach Free Of Svhc	
	Toxic Heavy Metal Free	
②	Mercury Free	
⊘	Rohs Exemption Information	Yes

Certifications & Standards

Reach Regulation	REACh Declaration
Eu Rohs Directive	Pro-active compliance (Product out of EU RoHS legal scope) EU RoHS Declaration
China Rohs Regulation	China RoHS declaration Pro-active China RoHS declaration (out of China RoHS legal scope)
Environmental Disclosure	Product Environmental Profile
Circularity Profile	No need of specific recycling operations