

# Product datasheet

Specifications



outlet grille plast cut out  
125x125mm ext dim 137x117mm  
IP54

NSYCAG125LPF

## Main

|                                       |                                                                         |
|---------------------------------------|-------------------------------------------------------------------------|
| Range                                 | ClimaSys                                                                |
| Product                               | ClimaSys CA                                                             |
| Range Compatibility                   | ClimaSys ClimaSys CV fan                                                |
| Product Or Component Type             | Outlet grille                                                           |
| Accessory / Separate Part Categor     | Thermal management accessory                                            |
| Accessory / Separate Part Destination | ClimaSys ventilation system                                             |
| Fixing Mode                           | Clipped<br>By screws                                                    |
| Device Composition                    | 1 support frame<br>1 external part<br>1 G2 M1 synthetic standard filter |

## Complementary

|                    |                                 |
|--------------------|---------------------------------|
| Material           | Injected thermoplastic (ASA PC) |
| Colour             | External part: grey (RAL 7035)  |
| Cut-Out Dimensions | 125 x 125 mm                    |
| Height             | External: 170 mm                |
| Width              | External: 150 mm                |
| Depth              | External : 15 mm                |

## Packing Units

|                              |         |
|------------------------------|---------|
| Unit Type Of Package 1       | PCE     |
| Number Of Units In Package 1 | 1       |
| Package 1 Height             | 4.5 cm  |
| Package 1 Width              | 15.5 cm |
| Package 1 Length             | 18 cm   |
| Package 1 Weight             | 220 g   |
| Unit Type Of Package 2       | CAR     |
| Number Of Units In Package 2 | 56      |
| Package 2 Height             | 38.5 cm |
| Package 2 Width              | 40 cm   |
| Package 2 Length             | 60 cm   |
| Package 2 Weight             | 13 kg   |

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

|                              |        |
|------------------------------|--------|
| Unit Type Of Package 3       | P12    |
| Number Of Units In Package 3 | 448    |
| Package 3 Height             | 91 cm  |
| Package 3 Width              | 80 cm  |
| Package 3 Length             | 120 cm |
| Package 3 Weight             | 119 kg |

## Contractual warranty

|          |           |
|----------|-----------|
| Warranty | 18 months |
|----------|-----------|

Sustainability



**Green Premium™ label** is Schneider Electric’s commitment to delivering products with best-in-class environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO<sub>2</sub> products.

**Guide to assessing product sustainability** is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

[Learn more about Green Premium >](#)

[Guide to assess a product’s sustainability >](#)



Transparency   RoHS/REACH

## Well-being performance

|   |                            |     |
|---|----------------------------|-----|
| ✓ | Reach Free Of Svhc         |     |
| ✓ | Toxic Heavy Metal Free     |     |
| ✓ | Mercury Free               |     |
| ✓ | Rohs Exemption Information | Yes |

## Certifications & Standards

|                          |                                                                                                             |
|--------------------------|-------------------------------------------------------------------------------------------------------------|
| Reach Regulation         | <a href="#">REACH Declaration</a>                                                                           |
| Eu Rohs Directive        | Pro-active compliance (Product out of EU RoHS legal scope)<br><a href="#">EU RoHS Declaration</a>           |
| China Rohs Regulation    | <a href="#">China RoHS declaration</a><br>Pro-active China RoHS declaration (out of China RoHS legal scope) |
| Environmental Disclosure | <a href="#">Product Environmental Profile</a>                                                               |
| Circularity Profile      | No need of specific recycling operations                                                                    |