


# Product datasheet

Specifications



Plain cable gland plate, PanelSeT SFN, PanelSeT SF, for electrical enclosure W1200 D600mm, fixed by clips

NSYEC126

## Main

Range	PanelSeT
Product or component type	Cable gland plate
Accessory / separate part categor	Cable management accessory
Application	Multi-purpose
Range compatibility	PanelSeT PanelSeT SF
Mounting location	Enclosure bottom
cable gland type	Standard
Cable entry	Plain
Device composition	fixing elements 1 plate
Quantity per set	Set of 1
Material	Galvanised steel

## Complementary

Height	25 mm
Width	Nominal: 1200 mm Useful: 1016 mm
Depth	Nominal : 600 mm Real : 520 mm
Thickness	1.5 mm

## Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	3.05 cm
Package 1 Width	51.05 cm
Package 1 Length	51.56 cm
Package 1 Weight	6.84 kg
Unit Type of Package 2	P12
Number of Units in Package 2	60
Package 2 Height	100 cm
Package 2 Width	80 cm
Package 2 Length	120 cm

---

Package 2 Weight 435 kg

## Contractual warranty

---

Warranty 18 months

## Sustainability

**Green Premium™ label** is Schneider Electric's commitment to delivering products with best-in-class environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO<sub>2</sub> products.

**Guide to assessing product sustainability** is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

[Learn more about Green Premium >](#)

[Guide to assess a product's sustainability >](#)



Transparency RoHS/REACH

## Well-being performance

Mercury Free

Rohs Exemption Information Yes

## Certifications & Standards

Reach Regulation [REACH Declaration](#)

Eu Rohs Directive Pro-active compliance (Product out of EU RoHS legal scope)

China Rohs Regulation [China RoHS declaration](#)  
Product out of China RoHS scope. Substance declaration for your information

Environmental Disclosure [Product Environmental Profile](#)

Circularity Profile No need of specific recycling operations