Product datasheet

Specification





Inner door, PanelSeT SFN, PanelSeT SF, PanelSeT SM, for electrical enclosure H1800 W800mm

NSYID188

Main

Range	PanelSeT
Accessory / separate part categor	Enclosure accessory
Product or component type	Door
Application	Multi-purpose
For enclosure nominal dimensions	-
Mounting location	Front
Range compatibility	PanelSeT PanelSeT SMX PanelSeT PanelSeT SFX PanelSeT PanelSeT SF PanelSeT PanelSeT SM
Device composition	1 door 2 lock with 3 mm double bar insert 1 handle fixing elements
Quantity per set	Set of 1

Complementary

Material	Sheet steel
Colour	Grey (RAL 7035)
Surface finish	Epoxy-polyester powder
lock type	Lock 3 mm double bar
Number of locks	2
Adjustment	Adjustable in depth every 25 mm
Door type	Internal plain
Door opening side	Reversible
Maximum load	15 kg/m²
Height	Nominal: 1800 mm Real: 1665 mm
Width	Nominal: 800 mm Real: 700 mm
Depth	19.5 mm

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1

Package 1 Height	7.0 cm	
Package 1 Width	76.0 cm	
Package 1 Length	173.0 cm	
Package 1 Weight	25.5 kg	

Contractual warranty

Warranty 18 months



Green PremiumTM **label** is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >





Transparency RoHS/REACh

Well-being performance



Mercury Free



Rohs Exemption Information

Yes

Certifications & Standards

Reach Regulation	REACh Declaration
Eu Rohs Directive	Pro-active compliance (Product out of EU RoHS legal scope)
China Rohs Regulation	China RoHS declaration Product out of China RoHS scope. Substance declaration for your information
Environmental Disclosure	Product Environmental Profile
Circularity Profile	No need of specific recycling operations