# Product data sheet





## Insulating mounting plate for enclosure H1000xW600mm made of bakelite

NSYMB106

! Discontinued on: Jul 3, 2023



Product availability: Non-Stock - Not normally stocked in distribution facility

#### Main

Range	Spacial	
Accessory / separate part categor	Mounting accessory	
Product or Component Type	Mounting plate	
Device Application	Multi-purpose	
Enclosure nominal dimensions	- H: 39.4 in (1000 mm) W: 23.6 in (600 mm)	
Mounting Location	Step slide Direct fixing on backstuds	
Mounting plate description	Plain	
Range compatibility	Spacial Spacial S3D Spacial Spacial CRN Spacial Spacial S3X	
Quantity per Set	Set of 1	
Material	bakelite	
color	Black RAL 9005)	

## Complementary

Fixing mode	Screwed on backstuds M8 By fixing element	
Permanent permissible load	117.07 lb(US) (53.1 kg) S3D, CRN, S3X enclosures 117.07 lb(US) (53.1 kg) PLM enclosure	
Maximum load	220.5 lb(US) (100 kg) S3D, CRN, S3X enclosures 220.5 lb(US) (100 kg) PLM enclosure	
Height	38.0 in (965 mm)	
Width	21.7 in (550 mm)	
Surface and useful surface	5.7 ft² (53.1 dm²)	
Thickness	0.2 in (5 mm)	
Net Weight	92.6 lb(US) (42 kg)	

## Ordering and shipping details

Category	US10ES180036
Discount Schedule	0ES1
GTIN	3606480182655
Returnability	No

Price is "List Price" and may be subject to a trade discount - check with your local distributor or retailer for actual price.

Country of origin ES

## **Packing Units**

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	0.2 in (0.5 cm)
Package 1 Width	21.7 in (55.0 cm)
Package 1 Length	38.0 in (96.5 cm)
Package 1 Weight	10.531 lb(US) (4.777 kg)

# **Contractual warranty**

Warranty 18 months



**Green Premium**<sup>TM</sup> **label** is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO<sub>2</sub> products.

**Guide to assessing product sustainability** is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >





Transparency RoHS/REACh

## Well-being performance



Mercury Free



Rohs Exemption Information

Yes

### **Certifications & Standards**

Eu Rohs Directive	Pro-active compliance (Product out of EU RoHS legal scope)
China Rohs Regulation	China RoHS declaration  Product out of China RoHS scope. Substance declaration for your information.
Environmental Disclosure	Product Environmental Profile
Circularity Profile	No need of specific recycling operations