Product datasheet

Specifications





Vertical aluminium rail, height 800mm. Packaging unit: 10 pieces.

Local distributor code: 400816292

NSYMDVR8

! Discontinued on: 16 Oct 2023

! End-of-service on: 16 Jan 2024

EAN Code: 3606480182969

Overview

Lead time Usually Ships within 4 Weeks

Main

Mani	
Range	Spacial
Accessory / separate part categor	Mounting accessory
Product or component type	Rail
device application	Multi-purpose
enclosure nominal dimensions	-
Mounting support	Fixing nut
Range compatibility	Spacial Spacial S3D Spacial Spacial CRN Spacial Spacial S3X Thalassa Thalassa PLM
Device composition	1 upright
Quantity per set	Set of 10
Material	Aluminium

Complementary

Fixing mode	Screwed - screw type M8 - on backstuds of enclosure location
Height	Nominal: 800 mm
Width	25 mm
Depth	15 mm
Thickness	2.5 mm
Net weight	0.23 kg

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	3.556 cm
Package 1 Width	2.54 cm
Package 1 Length	74.295 cm

Package 1 Weight 226.799 g

Logistical informations

Country of origin FF

Contractual warranty

Warranty 18 months



Green PremiumTM **label** is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >





Transparency RoHS/REACh

Well-being performance



Mercury Free



Rohs Exemption Information

Yes

Certifications & Standards

Eu Rohs Directive	Pro-active compliance (Product out of EU RoHS legal scope)
China Rohs Regulation	China RoHS declaration Product out of China RoHS scope. Substance declaration for your information
Environmental Disclosure	Product Environmental Profile
Circularity Profile	No need of specific recycling operations