

Product data sheet

Specifications



Plain mounting plate, PanelSeT SFN, PanelSeT SF, PanelSeT SM, for electrical enclosure H1600 W600mm, galvanized steel

NSYMP166

Product availability: Non-Stock - Not normally stocked in distribution facility

Price*: 132.24 USD

Main

Range	PanelSeT
Accessory / separate part categor	Mounting accessory
Product or Component Type	Mounting plate
Device Application	Multi-purpose
Enclosure nominal dimensions	- H: 63.0 in (1600 mm) W: 23.6 in (600 mm)
Mounting plate description	Plain
Range compatibility	PanelSeT PanelSeT SF PanelSeT PanelSeT SM PanelSeT PanelSeT SFX PanelSeT PanelSeT SMX
Device composition	1 mounting plate 2 sliding shoes
Quantity per Set	Set of 1
Material	galvanised steel

Complementary

Fixing mode	By fixing brackets
Maximum load	300 kg/m²
Permanent permissible load	1102.3 lb(US) (500 kg) intermediate position 1322.8 lb(US) (600 kg) back of the enclosure
Height	Fixing centers: 57.09 in (1450 mm) Nominal: 63.0 in (1600 mm) Real: 58.9 in (1497 mm)
Width	Nominal: 23.6 in (600 mm) Fixing centers: 17.7 in (450 mm) Real: 19.5 in (496 mm)
Depth	1.06 in (27 mm)

Ordering and shipping details

Category	US10ES180035
Discount Schedule	0ES1
GTIN	3606485126807
Returnability	No

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

Country of origin	ES
-------------------	----

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	2.0000000000 in (5.08 cm)
Package 1 Width	20.0000000000 in (50.8 cm)
Package 1 Length	40.0000000000 in (101.6 cm)
Package 1 Weight	35.281 lb(US) (16.003 kg)
Unit Type of Package 2	P2M
Number of Units in Package 2	20
Package 2 Height	18.9 in (48 cm)
Package 2 Width	78.7 in (200 cm)
Package 2 Length	47.2 in (120 cm)
Package 2 Weight	866.4 lb(US) (393 kg)

Contractual warranty

Warranty	18 months
----------	-----------

Sustainability

Green Premium™ label is Schneider Electric’s commitment to delivering products with best-in-class environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

[Learn more about Green Premium >](#)

[Guide to assess a product’s sustainability >](#)



Transparency RoHS/REACH

Well-being performance

✓	Reach Free Of Svhc	
✓	Toxic Heavy Metal Free	
✓	Mercury Free	
✓	Rohs Exemption Information	Yes

Certifications & Standards

Reach Regulation	REACH Declaration
Eu Rohs Directive	Pro-active compliance (Product out of EU RoHS legal scope) EU RoHS Declaration
China Rohs Regulation	China RoHS declaration Pro-active China RoHS declaration (out of China RoHS legal scope)
Environmental Disclosure	Product Environmental Profile
Circularity Profile	No need of specific recycling operations