# Product data sheet

Specifications





# Insulating mounting plate for enclosure H400xW300mm made of polyester

NSYMPP43

Product availability: Non-Stock - Not normally stocked in distribution facility

Price\*: 18.94 USD

#### Main

Range	Spacial	
Accessory / Separate Part Categor	Mounting accessory	
Product Or Component Type	Mounting plate	
Device Application	Multi-purpose	
Enclosure Nominal Dimensions	-	
Mounting Location	Direct fixing on backstuds Step slide	
Mounting Plate Description	Plain	
Range Compatibility	Spacial Spacial S3D Spacial Spacial CRN Spacial Spacial S3X	
Quantity Per Set	Set of 1	
Material	fibreglass reinforced polyester	
Color	Gray RAL 7035)	

## Complementary

Fixing Mode	Screwed on backstuds M8 By fixing element	
Permanent Permissible Load	ad 66.14 lb(US) (30 kg)	
Height	Nominal: 12.80 in (325 mm) Enclosure nominal dimension: 15.75 in (400 mm)	
Width	Nominal: 9.84 in (250 mm) Enclosure nominal dimension: 11.81 in (300 mm)	
Thickness	0.16 in (4 mm)	
Net Weight	15.43 lb(US) (7 kg)	

## Ordering and shipping details

Category	US10ES180036
Discount Schedule	0ES1
Gtin	3606480183485
Returnability	No
Country Of Origin	ES

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

# **Packing Units**

Unit Type Of Package 1	PCE 1	
Number Of Units In Package 1		
Package 1 Height	0.16 in (0.4 cm)	
Package 1 Width	9.84 in (25.0 cm)	
Package 1 Length	14.37 in (36.5 cm)	
Package 1 Weight	23.17 oz (657.0 g)	

# **Contractual warranty**

Warranty 18 months



**Green Premium**<sup>TM</sup> **label** is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO<sub>2</sub> products.

**Guide to assessing product sustainability** is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >





Transparency RoHS/REACh

#### Well-being performance

<b>Ø</b>	Reach Free Of Svhc	
<b>Ø</b>	Toxic Heavy Metal Free	
<b>⊘</b>	Mercury Free	
<b>⊘</b>	Rohs Exemption Information	Yes

### **Certifications & Standards**

Reach Regulation	REACh Declaration
Eu Rohs Directive	Pro-active compliance (Product out of EU RoHS legal scope) EU RoHS Declaration
China Rohs Regulation	China RoHS declaration  Pro-active China RoHS declaration (out of China RoHS legal scope)
Environmental Disclosure	Product Environmental Profile
Circularity Profile	No need of specific recycling operations