# Product data sheet

Specifications





### Monobloc perforated plates H1200xW1000mm with universal perforations 11x26mm

NSYMR1210

Product availability: Non-Stock - Not normally stocked in distribution facility

Price\*: 401.22 USD

#### Main

Range	PanelSeT	
Accessory / separate part categor	Mounting accessory	
Product or Component Type	Mounting plate	
Device Application	Multi-purpose	
Enclosure nominal dimensions	- H: 47.2 in (1200 mm) W: 39.4 in (1000 mm)	
Mounting Location	Direct fixing on backstuds Step slide	
Mounting plate description	Telequick perforated	
Range compatibility	PanelSeT PanelSeT S3D PanelSeT PanelSeT CRN Thalassa Thalassa PLM	
Quantity per Set	Set of 1	
Material	steel	
Surface Finish	ace Finish Zinc coated	

### Complementary

Fixing mode	Screwed on backstuds M8 By fixing element	
Permanent permissible load	600.10 lb(US) (272.2 kg) S3D, CRN, S3X enclosures 360.02 lb(US) (163.3 kg) PLM enclosure	
Maximum load	551.2 lb(US) (250 kg) S3D, CRN, S3X enclosures 330.7 lb(US) (150 kg) PLM enclosure	
Height	45.08 in (1145 mm)	
Width	37.4 in (951 mm)	
Surface and useful surface	useful surface 11.7 ft² (108.9 dm²)	
Thickness	ess 0.08 in (2 mm)	
Net Weight	17.2 lb(US) (7.8 kg)	
Number of slots	3 2325	
Variant particularity	arity Installation in rear of enclosure	
Cut-out dimensions	11 x 26 mm	

#### Ordering and shipping details

Category US10ES180036

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

Discount Schedule	0ES1
GTIN	3606480183577
Returnability	No
Country of origin	FR

## **Packing Units**

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	45.3 in (115.0 cm)
Package 1 Width	37.5 in (95.2 cm)
Package 1 Length	0.7 in (1.7 cm)
Package 1 Weight	17.2 lb(US) (7.8 kg)

# **Contractual warranty**

Warranty 18 months



**Green Premium**<sup>TM</sup> **label** is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO<sub>2</sub> products.

**Guide to assessing product sustainability** is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >





Transparency RoHS/REACh

#### Well-being performance

<b>Ø</b>	Reach Free Of Svhc	
<b>②</b>	Toxic Heavy Metal Free	
<b>Ø</b>	Mercury Free	
<b>⊘</b>	Rohs Exemption Information	Yes

#### **Certifications & Standards**

Reach Regulation	REACh Declaration
Eu Rohs Directive	Pro-active compliance (Product out of EU RoHS legal scope)  EU RoHS Declaration
China Rohs Regulation	China RoHS declaration  Pro-active China RoHS declaration (out of China RoHS legal scope)
Environmental Disclosure	Product Environmental Profile
Circularity Profile	No need of specific recycling operations