Product data sheet

Specifications

Green Premium™

Monobloc perforated plates
H300xW250mm with universal
perforations 11x26mm

NSYMR3025

Main

Range	Spacial
Accessory / Separate Part Categor	Mounting accessory
Product Or Component Type	Mounting plate
Device Application	Multi-purpose
Enclosure Nominal Dimensions	- H: 11.81 in (300 mm) W: 9.84 in (250 mm)
Mounting Location	Direct fixing on backstuds Step slide
Mounting Plate Description	Telequick perforated
Range Compatibility	Spacial Spacial S3D Spacial Spacial CRN Spacial Spacial S3X
Quantity Per Set	Set of 1
Material	steel
Surface Finish	Zinc coated

Complementary

Fixing Mode	Screwed on backstuds M8 By fixing element
Height	9.96 in (253 mm)
Width	8.98 in (228 mm)
Depth	0.59 in (15 mm)
Thickness	0.08 in (2 mm)
Net Weight	1.02 lb(US) (0.463 kg)
Number Of Slots	128
Variant Particularity	Installation in rear of enclosure
Cut-Out Dimensions	11 x 26 mm

Packing Units

Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	0.79 in (2.0 cm)
Package 1 Width	9.06 in (23.0 cm)
Package 1 Length	10.04 in (25.5 cm)

Package 1 Weight	16.01 oz (454.0 g)
Unit Type Of Package 2	PAM
Number Of Units In Package 2	368
Package 2 Height	19.69 in (50.0 cm)
Package 2 Width	39.37 in (100.0 cm)
Package 2 Length	47.24 in (120.0 cm)
Package 2 Weight	396.83 lb(US) (180.0 kg)

Contractual warranty

Warranty	18 months

Life Is On | Schneider Electric

Sustainability ![Green Premium]

Green Premium^{TM} label is Schneider Electric's commitment to delivering products with best-in-class environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO_2 products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >

Transparency   RoHS/REACh

Well-being performance

✓ Reach Free Of Svhc

✓ Toxic Heavy Metal Free

✓ Mercury Free

✓ Rohs Exemption Information   Yes

Certifications & Standards

Reach Regulation   REACh Declaration

Eu Rohs Directive   Pro-active compliance (Product out of EU RoHS legal scope)

                                     EU RoHS Declaration

China Rohs Regulation   China RoHS declaration

                                     Pro-active China RoHS declaration (out of China RoHS legal scope)

Environmental Disclosure   Product Environmental Profile

Circularity Profile   No need of specific recycling operations