



Monobloc perforated plates H400xW600mm with universal perforations 11x26mm

NSYMR46

Main

Range	PanelSeT	
Accessory / separate part categor	Mounting accessory	
Product or component type	Mounting plate	
Device application	Multi-purpose	
Enclosure nominal dimensions	- H: 400 mm W: 600 mm	
Mounting location	Direct fixing on backstuds Step slide	
Mounting plate description	Telequick perforated	
Range compatibility	PanelSeT PanelSeT S3D PanelSeT PanelSeT CRN Thalassa Thalassa PLM	
Quantity per set	ty per set Set of 1	
Material	Steel	
urface finish Zinc coated		

Complementary

Fixing mode	Screwed on backstuds - screw type M8 By fixing element	
Height	345 mm	
Width	551 mm	
Depth	15 mm	
Thickness	2 mm	
Net weight	1.518 kg	
Number of slots	456	
Variant particularity	Installation in rear of enclosure	
Cut-out dimensions	11 x 26 mm	

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	1.5 cm
Package 1 Width	34.5 cm
Package 1 Length	55.1 cm

Package 1 Weight	1.366 kg
Unit Type of Package 2	PAM
Number of Units in Package 2	234
Package 2 Height	90.0 cm
Package 2 Width	100.0 cm
Package 2 Length	120.0 cm
Package 2 Weight	333.0 kg

Contractual warranty

Warranty 18 months



Green PremiumTM **label** is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >





Transparency RoHS/REACh

Well-being performance

②	Reach Free Of Svhc	
	Toxic Heavy Metal Free	
②	Mercury Free	
⊘	Rohs Exemption Information	Yes

Certifications & Standards

Reach Regulation	REACh Declaration
Eu Rohs Directive	Pro-active compliance (Product out of EU RoHS legal scope) EU RoHS Declaration
China Rohs Regulation	China RoHS declaration Pro-active China RoHS declaration (out of China RoHS legal scope)
Environmental Disclosure	Product Environmental Profile
Circularity Profile	No need of specific recycling operations