

Product data sheet

Specifications



reversible internal door polyester 2 locks grid pattern forPLM3025

NSYPA3025PLMG

Product availability: Non-Stock - Not normally stocked in distribution facility

Price*: 100.77 USD

Main

Range	Thalassa
Accessory / Separate Part Categor	Enclosure accessory
Product Or Component Type	Door
Application	Multi-purpose
For Enclosure Nominal Dimensions	-
Mounting Location	Front side
Range Compatibility	Thalassa Thalassa PLM
Device Composition	1 door 1 handle 4 fixing brackets

Complementary

Material	sheet steel
Color	Gray RAL 7035)
Surface Finish	Polyester powder
Lock Type	By screws
Number Of Locks	2
Door Type	Internal plain
Door Opening Side	Reversible 110 °)
Height	Grid pattern: 9.76 in (248 mm)
Width	Grid pattern: 6.50 in (165 mm)
Depth	Available depth between enclosure door : 1.02 in (26 mm) Available depth between rear : 2.44 in (62 mm)

Ordering and shipping details

Category	US10ES180034
Discount Schedule	0ES1
Gtin	3606480774164
Returnability	No
Country Of Origin	ES

Packing Units

Unit Type Of Package 1	PCE
------------------------	-----

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

Number Of Units In Package 1	1
Package 1 Height	1.77 in (4.5 cm)
Package 1 Width	8.66 in (22.0 cm)
Package 1 Length	11.42 in (29.0 cm)
Package 1 Weight	2.91 lb(US) (1.32 kg)
Unit Type Of Package 2	BB1
Number Of Units In Package 2	20
Package 2 Height	47.24 in (120 cm)
Package 2 Width	17.72 in (45 cm)
Package 2 Length	11.42 in (29 cm)
Package 2 Weight	59.52 lb(US) (27 kg)

Sustainability

Green Premium™ label is Schneider Electric’s commitment to delivering products with best-in-class environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

[Learn more about Green Premium >](#)

[Guide to assess a product’s sustainability >](#)



Transparency RoHS/REACH

Well-being performance

 Mercury Free

 RoHS Exemption Information [Yes](#)

Certifications & Standards

Reach Regulation	REACH Declaration
Eu Rohs Directive	Pro-active compliance (Product out of EU RoHS legal scope)
China Rohs Regulation	China RoHS declaration Product out of China RoHS scope. Substance declaration for your information.
Environmental Disclosure	Product Environmental Profile
Circularity Profile	No need of specific recycling operations