



Floor standing enclosure polyester vers.PLA completely sealed 500x1000x320 IP65

NSYPLA5103G

Main

| Range | Thalassa |
|---------------------------|--|
| Product name | Thalassa PLA |
| Enclosure type | Multi-purpose |
| Product or component type | Suitable enclosure |
| Version | PLA |
| Nominal height | 500 mm |
| Nominal width | 1000 mm |
| Nominal depth | 320 mm |
| enclosure mounting | Floor-standing |
| Device composition | 1 top part 1 bottom part 2 side part 2 door 2 rear panel |

Complementary

| Body type | Sealed top and bottom part assembled with side parts |
|-----------------------------|--|
| Door type | Plain front |
| Number of doors | 2 door(s) |
| Door opening side | Right and left (120 °) |
| Lock type | 2 points lock, 5 mm double-bar |
| accessibility for operation | Front Rear |
| Removable parts | Door by hinges Rear panel by fixing element |
| Material | Polyester reinforced with fibreglass |
| Colour | Grey (RAL 7035) |
| Standards | IEC 62208 UL 508 A |
| NEMA degree of protection | NEMA 13 NEMA 1 NEMA 12 NEMA 2 |
| product certifications | DNV Marine Veritas UL/cUL listed |
| Electrical insulation class | Class II |

Environment

| IP degree of protection | IP65 conforming to IEC 60529 (completely sealed) |
|-------------------------------------|--|
| IK degree of protection | IK10 conforming to IEC 62262 (plain door) |
| Fire resistance | 960 °C conforming to IEC 62208 |
| Ambient air temperature for storage | -3590 °C |

Packing Units

| Unit Type of Package 1 | PCE |
|------------------------------|-----------|
| Number of Units in Package 1 | 1 |
| Package 1 Height | 51.0 cm |
| Package 1 Width | 103.0 cm |
| Package 1 Length | 38.0 cm |
| Package 1 Weight | 25.772 kg |
| Unit Type of Package 2 | PAM |
| Number of Units in Package 2 | 9 |
| Package 2 Height | 120 cm |
| Package 2 Width | 100 cm |
| Package 2 Length | 175 cm |
| Package 2 Weight | 251 kg |



Green PremiumTM **label** is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >





Transparency RoHS/REACh

Well-being performance



Mercury Free



Rohs Exemption Information

Yes

Certifications & Standards

| Reach Regulation | REACh Declaration |
|--------------------------|---|
| Eu Rohs Directive | Pro-active compliance (Product out of EU RoHS legal scope) |
| China Rohs Regulation | China RoHS declaration Product out of China RoHS scope. Substance declaration for your information |
| Environmental Disclosure | Product Environmental Profile |
| Circularity Profile | No need of specific recycling operations |

Image of product in real life situation

