# **Product datasheet**

Specifications





Wall mounted polyester enclosure, Thalassa PLM, glazed door, with handle, 530x430x200mm, IP66, IK08, RAL 7035

NSYPLM54TVG

#### Main

Range	Thalassa
Product name	Thalassa PLM
Device short name	PLM
Enclosure type	Multi-purpose
Category	Compact enclosure
Nominal height	530 mm
Nominal width	430 mm
Nominal depth	200 mm
enclosure mounting	Wall mounted
Device composition	1 body 1 door 1 handle lock
Door type	Transparent
lock type	3 points lock, handle with 1242E key lock

# Complementary

Number of locks	1
Mounting plate description	Without mounting plate
accessibility for operation	Front
Removable parts	Door by hinges
Material	Body: polyester reinforced with fibreglass Door: tempered glass
Colour	Grey (RAL 7035)
Electrical insulation class	Class II

#### **Environment**

IP degree of protection	IP66 conforming to IEC 60529
IK degree of protection	IK08 conforming to IEC 62262
Fire resistance	960 °C conforming to IEC 62208
Ambient air temperature for operation	-4080 °C

## **Packing Units**

|--|

Number of Units in Package 1	1
Package 1 Height	45.0 cm
Package 1 Width	23.0 cm
Package 1 Length	56.0 cm
Package 1 Weight	9.003 kg
Unit Type of Package 2	PAM
Number of Units in Package 2	30
Package 2 Height	120 cm
Package 2 Width	100 cm
Package 2 Length	193 cm
Package 2 Weight	285 kg



**Green Premium**<sup>TM</sup> **label** is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO<sub>2</sub> products.

**Guide to assessing product sustainability** is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >





Transparency RoHS/REACh

## Well-being performance



Mercury Free



Rohs Exemption Information

Yes

### **Certifications & Standards**

Reach Regulation	REACh Declaration
Eu Rohs Directive	Pro-active compliance (Product out of EU RoHS legal scope)
China Rohs Regulation	China RoHS declaration  Product out of China RoHS scope. Substance declaration for your information
Environmental Disclosure	Product Environmental Profile
Circularity Profile	No need of specific recycling operations

Image of product in real life situation

