

# Product data sheet

Specifications



Polyester insulating mounting plate  
for PLA enclosure H500xW750mm  
or H750xW500mm

NSYPMA75

Product availability: Non-Stock - Not normally stocked in distribution facility

**Price\*: 89.59 USD**

## Main

Range	Thalassa
Accessory / Separate Part Category	Mounting accessory
Product Or Component Type	Mounting plate
Device Application	Multi-purpose
Enclosure Nominal Dimensions	-
Mounting Location	Back inserts Step slide
Mounting Plate Description	Insulating
Range Compatibility	Thalassa Thalassa PLA
Device Composition	1 mounting plate
Material	polyester
Color	Gray RAL 7035)

## Complementary

Fixing Mode	By screws M8 - on back inserts
Permanent Permissible Load	330.69 lb(US) (150 kg)
Height	Nominal: 29.53 in (750 mm) Real: 25.20 in (640 mm)
Width	Nominal: 19.69 in (500 mm) Real: 14.76 in (375 mm)
Depth	Real : 4.92 in (125 mm)
Thickness	0.16 in (4 mm)

## Ordering and shipping details

Category	US10ES180036
Discount Schedule	0ES1
Gtin	3606480193965
Returnability	No
Country Of Origin	US

## Packing Units

Unit Type Of Package 1	PCE
------------------------	-----

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

---

Number Of Units In Package 1	1
Package 1 Height	0.20 in (0.5 cm)
Package 1 Width	14.76 in (37.5 cm)
Package 1 Length	24.80 in (63.0 cm)
Package 1 Weight	3.48 lb(US) (1.58 kg)

---

## **Contractual warranty**

---

Warranty 18 months

## Sustainability

**Green Premium™ label** is Schneider Electric's commitment to delivering products with best-in-class environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO<sub>2</sub> products.

**Guide to assessing product sustainability** is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

[Learn more about Green Premium >](#)

[Guide to assess a product's sustainability >](#)

## Well-being performance

 Reach Free Of Svhc

 Toxic Heavy Metal Free

 Mercury Free

 RoHS Exemption Information Yes

### Reach Regulation

[REACH Declaration](#)

### Eu RoHS Directive

Pro-active compliance (Product out of EU RoHS legal scope)

[EU RoHS Declaration](#)

### China RoHS Regulation

[China RoHS declaration](#)

Pro-active China RoHS declaration (out of China RoHS legal scope)