

Product data sheet

Specifications



Telequick mounting plate for PLA enclosure H1000xW500mm

NSYPMR105

Product availability: Non-Stock - Not normally stocked in distribution facility

Price*: 88.10 USD

Main

Range	Thalassa
Accessory / Separate Part Categor	Mounting accessory
Product Or Component Type	Mounting plate
Device Application	Multi-purpose
Enclosure Nominal Dimensions	-
Mounting Location	Back inserts Step slide
Mounting Plate Description	Telequick perforated
Range Compatibility	Thalassa Thalassa PLA Thalassa Thalassa PHD
Device Composition	1 mounting plate
Material	galvanised steel

Complementary

Fixing Mode	By screws M8 - on back inserts
Permanent Permissible Load	330.69 lb(US) (150 kg)
Height	Nominal: 39.37 in (1000 mm) Real: 34.25 in (870 mm)
Width	Nominal: 19.69 in (500 mm) Real: 14.80 in (376 mm)
Depth	Real : 0.59 in (15 mm)
Cut-Out Dimensions	11 x 26 mm

Ordering and shipping details

Category	US10ES180036
Discount Schedule	0ES1
Gtin	3606480194313
Returnability	No
Country Of Origin	FR

Packing Units

Unit Type Of Package 1	PCE
Number Of Units In Package 1	1

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

Package 1 Height	0.39 in (1 cm)
Package 1 Width	14.76 in (37.5 cm)
Package 1 Length	34.25 in (87 cm)
Package 1 Weight	5.53 lb(US) (2.508 kg)
Unit Type Of Package 2	PAM
Number Of Units In Package 2	46
Package 2 Height	19.69 in (50 cm)
Package 2 Width	39.37 in (100 cm)
Package 2 Length	47.24 in (120 cm)
Package 2 Weight	282.19 lb(US) (128 kg)

Contractual warranty

Warranty	18 months
----------	-----------

Sustainability

Green Premium™ label is Schneider Electric’s commitment to delivering products with best-in-class environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

[Learn more about Green Premium >](#)

[Guide to assess a product’s sustainability >](#)



Transparency RoHS/REACH

Well-being performance

✓	Reach Free Of Svhc	
✓	Toxic Heavy Metal Free	
✓	Mercury Free	
✓	Rohs Exemption Information	Yes

Certifications & Standards

Reach Regulation	REACH Declaration
Eu Rohs Directive	Pro-active compliance (Product out of EU RoHS legal scope) EU RoHS Declaration
China Rohs Regulation	China RoHS declaration Pro-active China RoHS declaration (out of China RoHS legal scope)
Environmental Disclosure	Product Environmental Profile
Circularity Profile	No need of specific recycling operations