Product data sheet

Specification





Telequick mounting plate for PLA enclosure H500xW750mm

NSYPMR57

Product availability: Non-Stock - Not normally stocked in distribution facility

Price*: 126.90 USD

Main

Range	Thalassa	
Accessory / Separate Part Categor	Mounting accessory	
Product Or Component Type	Mounting plate	
Device Application	Multi-purpose	
Enclosure Nominal Dimensions	-	
Mounting Location	Back inserts Step slide	
Mounting Plate Description	Telequick perforated	
Range Compatibility	Thalassa Thalassa PLA	
Device Composition	1 mounting plate	
Material	galvanised steel	

Complementary

Fixing Mode	By screws M8 - on back inserts	
Permanent Permissible Load	330.69 lb(US) (150 kg)	
Height	Nominal: 19.69 in (500 mm) Real: 14.57 in (370 mm)	
Width	Nominal: 29.53 in (750 mm) Real: 24.65 in (626 mm)	
Depth	Real : 0.59 in (15 mm)	
Cut-Out Dimensions	11 x 26 mm	

Ordering and shipping details

Category	US10ES180036	
Discount Schedule	0ES1	
Gtin	3606480194283	
Returnability	No	
Country Of Origin	FR	

Packing Units

Unit Type Of Package 1	PCE	
Number Of Units In Package 1	1	
Package 1 Height	0.79 in (2.0 cm)	

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

Package 1 Width	14.57 in (37.0 cm)	
Package 1 Length	25.20 in (64.0 cm)	
Package 1 Weight	4.04 lb(US) (1.832 kg)	
Unit Type Of Package 2	PAM	
Number Of Units In Package 2	72	
Package 2 Height	19.69 in (50.0 cm)	
Package 2 Width	39.37 in (100.0 cm)	
Package 2 Length	47.24 in (120.0 cm)	
Package 2 Weight	319.67 lb(US) (145.0 kg)	

Contractual warranty

Warranty 18 months



Green PremiumTM **label** is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >





Transparency RoHS/REACh

Well-being performance

②	Reach Free Of Svhc	
②	Toxic Heavy Metal Free	
②	Mercury Free	
⊘	Rohs Exemption Information	Yes

Certifications & Standards

Reach Regulation	REACh Declaration
Eu Rohs Directive	Pro-active compliance (Product out of EU RoHS legal scope) EU RoHS Declaration
China Rohs Regulation	China RoHS declaration Pro-active China RoHS declaration (out of China RoHS legal scope)
Environmental Disclosure	Product Environmental Profile
Circularity Profile	No need of specific recycling operations