Product data sheet

Specification





Wall mounted steel enclosure, Spacial S3DC, plain door, without plain chasis, 1000x800x250mm, IP66, IK10

NSYS3DC10825

Product availability: Stock - Normally stocked in distribution facility

Price*: 403.84 USD

Main

| Range | Spacial |
|-----------------------------|----------------------------|
| Product Name | Spacial S3DC |
| Application | Multi-purpose |
| Category | Compact enclosure |
| Enclosure Nominal Height | 39.37 in (1000 mm) |
| Enclosure Nominal Width | 31.50 in (800 mm) |
| Enclosure Nominal Depth | 9.84 in (250 mm) |
| Door Type | Solid |
| Mounting Plate Description | Without mounting plate |
| Type Of Gland Plate | Without gland plate |
| Installation Accessory Type | Wall-mounting |
| Device Composition | 1 body 1 door 1 lock |

Complementary

| Body Type | Gutter-shaped front profile double sheet thickness Single piece body |
|-----------------------------|---|
| Number Of Doors | Front face 1 |
| Door Opening Side | Reversible 120 °) |
| Lock Type | 3 points lock, screw driver insert |
| Accessibility For Operation | Front |
| Removable Parts | Door by hinges |
| Material | steel |
| Surface Finish | epoxy-polyester powder |
| Color | Gray RAL 7035) |
| Standards | IEC 62208 |
| Product Certifications | UL |
| Net Weight | 71.87 lb(US) (32.6 kg) |

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

Environment

| Nema Degree Of Protection | NEMA 4X/13 |
|---------------------------|----------------|
| Ik Degree Of Protection | IK10 IEC 62262 |
| Ip Degree Of Protection | IP66 IEC 60529 |

Ordering and shipping details

| Category | US10ES180034 |
|-------------------|---------------|
| Discount Schedule | 0ES1 |
| Gtin | 3606480314209 |
| Returnability | Yes |
| Country Of Origin | FR |

Packing Units

| Unit Type Of Package 1 | PCE |
|------------------------------|------------------------|
| Number Of Units In Package 1 | 1 |
| Package 1 Height | 12.01 in (30.5 cm) |
| Package 1 Width | 32.48 in (82.5 cm) |
| Package 1 Length | 43.31 in (110 cm) |
| Package 1 Weight | 71.87 lb(US) (32.6 kg) |
| Unit Type Of Package 2 | PAM |
| Number Of Units In Package 2 | 6 |
| Package 2 Height | 70.87 in (180 cm) |
| Package 2 Width | 39.37 in (100 cm) |
| Package 2 Length | 47.24 in (120 cm) |
| Package 2 Weight | 449.74 lb(US) (204 kg) |

Contractual warranty

Warranty 18 months



Green PremiumTM **label** is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >





Transparency RoHS/REACh

Well-being performance



Mercury Free



Rohs Exemption Information

Yes

Certifications & Standards

| Reach Regulation | REACh Declaration |
|--------------------------|--|
| Eu Rohs Directive | Pro-active compliance (Product out of EU RoHS legal scope) |
| China Rohs Regulation | China RoHS declaration Product out of China RoHS scope. Substance declaration for your information. |
| Environmental Disclosure | Product Environmental Profile |
| Circularity Profile | No need of specific recycling operations |