Product data sheet

Specification





Spacial SF enclosure without mounting plate - assembled - 2200x400x600 mm

NSYSF22460

Product availability: Non-Stock - Not normally stocked in distribution facility

Price*: 1,738.56 USD

Main

Range	Spacial
Extended Range	Spacial SF
Application	Multi-purpose
Product Or Component Type	Suitable enclosure
Enclosure Nominal Height	86.61 in (2200 mm)
Enclosure Nominal Width	15.75 in (400 mm)
Enclosure Nominal Depth	23.62 in (600 mm)
Enclosure Mounting	Floor-standing
Device Composition	locking system with handle door door structure roof rear panel

Complementary

Structure Type	Formed from a single section
	Panels and doors built into the structure
	Perforated structure with a pitch of 25 mm
	Vertical uprights joined with top and bottom frames
Door Opening Side	Reversible 120 °)
Door Type	Solid front
Mounting Plate Description	Without mounting plate
Type Of Gland Plate	Without gland plate
Lock Type	4 points lock, handle with 5 mm double bar insert front door
Number Of Doors	Front 1
Accessibility For Operation	Front
	Rear
	Sides of enclosure
Removable Parts	Door by screws hinge
	Rear panel by screws
	Roof by screws
	Mounting plate bracket by screws
	Sliding rail by screws
Material	Frame galvanised steel
	Uprights galvanised steel
	Door sheet steel
	Panels sheet steel
	Hinge zamak

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

Handle polyamide 6 with 30 % fibre glass

Surface Finish	epoxy-polyester powder
Color	Enclosure Gray RAL 7035) Handle Black RAL 9005)
Net Weight	222.01 lb(US) (100.7 kg)

Environment

Standards	IEC 62208
Nema Degree Of Protection	NEMA 3R/12
Ip Degree Of Protection	IP55 IEC 60529
Ik Degree Of Protection	IK10 IEC 62262

Ordering and shipping details

Category	US10ES180035
Discount Schedule	0ES1
Gtin	3606485118505
Returnability	No
Country Of Origin	US

Packing Units

Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	17.52 in (44.5 cm)
Package 1 Width	27.17 in (69.0 cm)
Package 1 Length	91.73 in (233.0 cm)
Package 1 Weight	163.14 lb(US) (74.0 kg)
Unit Type Of Package 2	PAL
Number Of Units In Package 2	2
Package 2 Height	92.91 in (236.0 cm)
Package 2 Width	25.59 in (65.0 cm)
Package 2 Length	38.58 in (98.0 cm)
Package 2 Weight	326.28 lb(US) (148.0 kg)

Contractual warranty

Warranty 18 months



Green PremiumTM **label** is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >





Transparency RoHS/REACh

Well-being performance



Mercury Free



Rohs Exemption Information

Yes

Certifications & Standards

Reach Regulation	REACh Declaration
Eu Rohs Directive	Pro-active compliance (Product out of EU RoHS legal scope)
China Rohs Regulation	China RoHS declaration Product out of China RoHS scope. Substance declaration for your information.
Environmental Disclosure	Product Environmental Profile
Circularity Profile	No need of specific recycling operations