Product data sheet

Specification





SFX 304L stainless suitable enclosure, H2000xW800xD600mm, Scotch Brite® finish.

NSYSFX20860

Product availability: Non-Stock - Not normally stocked in distribution facility

Price*: 9,966.55 USD

Main

Range	PanelSeT
Product name	PanelSeT SFX
enclosure type	Multi-purpose
category	Suitable enclosure
nominal height	78.7 in (2000 mm)
nominal width	31.5 in (800 mm)
nominal depth	23.6 in (600 mm)
product installation	Floor-standing
Device composition	1 structure 1 locking system with handle door 4 mounting plate bracket 1 cable gland plate 1 door with reinforcement frame

Complementary

Body type	Rear panel integrated Single piece structure folded and welded
Door type	Solid
Number of doors	Front face 1
Door opening side	Reversible 120 °)
lock type	3 points lock, handle with 5 mm double-bar insert
Mounting plate description	Without mounting plate
Type of gland plate	Plain
accessibility for operation	Front Side
Removable parts	Door by hinges Mounting plate bracket by screws Cable gland plate by clips
Material	Structure and door stainless steel 304L Handle zamak Hinge stainless steel
Surface finish	Enclosure Scotch-Brite® brushed Handle painted
Net Weight	178.6 lb(US) (81 kg)

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

Environment

Standards	IEC 62208 NEMA 4X
Product Certifications	UL
IP degree of protection	IP66 IEC 60529
IK degree of protection	IK10 IEC 62262
Environmental characteristic	Specific hygiene Corrosive

Ordering and shipping details

Category	US10ES180035
Discount Schedule	0ES1
GTIN	3606480155697
Returnability	No
Country of origin	ES

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	27.6 in (70.0 cm)
Package 1 Width	33.5 in (85.0 cm)
Package 1 Length	83.5 in (212.0 cm)
Package 1 Weight	216.05 lb(US) (98.0 kg)

Contractual warranty

Warranty 18 months



Green PremiumTM **label** is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >





Transparency RoHS/REACh

Well-being performance



Mercury Free



Rohs Exemption Information

Yes

Certifications & Standards

Reach Regulation	REACh Declaration
Eu Rohs Directive	Pro-active compliance (Product out of EU RoHS legal scope)
China Rohs Regulation	China RoHS declaration Product out of China RoHS scope. Substance declaration for your information.
Environmental Disclosure	Product Environmental Profile
Circularity Profile	No need of specific recycling operations