Product datasheet

Specification





SMX 304L stainless monobloc enclosure, H2000xW1000xD400mm, Scotch Brite® finish.

NSYSMX201040

Main

| Range | PanelSeT |
|----------------------|---|
| Product name | PanelSeT SMX |
| enclosure type | Multi-purpose |
| category | Compact enclosure |
| nominal height | 2000 mm |
| nominal width | 1000 mm |
| nominal depth | 400 mm |
| product installation | Floor-standing |
| Device composition | body door cable gland plate locking system with handle: door mounting plate bracket |

Complementary

| Body type | Single piece body folded and welded |
|-----------------------------|--|
| Door type | Plain |
| Door opening side | Reversible (120 °) |
| Number of doors | Front face: 2 door(s) |
| lock type | 3 points lock, handle with 5 mm double-bar insert |
| Type of gland plate | Plain |
| accessibility for operation | Front |
| Mounting plate description | Without mounting plate |
| Material | Body and door: stainless steel 304L Handle: zamak Hinge: stainless steel |
| Removable parts | Door by hinges Mounting plate bracket by screws Cable gland plate by clips |
| Surface finish | Enclosure: Scotch-Brite® brushed Handle: painted |
| Net weight | 126 kg |

Environment

| Standards | IEC 62208 |
|-------------------------|------------------------------|
| IP degree of protection | IP55 conforming to IEC 60529 |

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

| IK degree of protection | IK10 conforming to IEC 62262 |
|------------------------------|-------------------------------|
| Product certifications | UL 508 CAN/CSA 22 |
| Environmental characteristic | Corrosive Specific hygiene |

Packing Units

| Unit Type of Package 1 | PCE |
|------------------------------|----------|
| Number of Units in Package 1 | 1 |
| Package 1 Height | 48.0 cm |
| Package 1 Width | 105.0 cm |
| Package 1 Length | 213.0 cm |
| Package 1 Weight | 130.0 kg |

Contractual warranty

Warranty 18 months



Green PremiumTM **label** is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >





Transparency RoHS/REACh

Well-being performance



Mercury Free



Rohs Exemption Information

Yes

Certifications & Standards

| Reach Regulation | REACh Declaration |
|--------------------------|---|
| Eu Rohs Directive | Pro-active compliance (Product out of EU RoHS legal scope) |
| China Rohs Regulation | China RoHS declaration Product out of China RoHS scope. Substance declaration for your information |
| Environmental Disclosure | Product Environmental Profile |
| Circularity Profile | No need of specific recycling operations |