Product datasheet

Specifications



Polyester canopy for PLA enclosure W1250xD420 mm

NSYTJPLA124G

Main

Range	Thalassa
accessory / separate part category	Enclosure accessory
Product or component type	Сапору
Application	Multi-purpose
Range compatibility	Thalassa Thalassa PLA
For enclosure nominal dimensions	-
mounting location	On top of enclosure
Device composition	1 canopy fixing elements drilling template

Complementary

Material	Polyester charged with fibreglass
Colour	Grey (RAL 7035)
Fixing mode	By fixing element
Height	38 mm
Width	1250 mm
Depth	420 mm

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	5.000 cm
Package 1 Width	44.500 cm
Package 1 Length	130.000 cm
Package 1 Weight	6.279 kg
Unit Type of Package 2	P2M
Number of Units in Package 2	12
Package 2 Height	45.000 cm
Package 2 Width	200.000 cm
Package 2 Length	120.000 cm
Package 2 Weight	90.348 kg

Sustainability Screen Premium

Green PremiumTM label is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Yes

Learn more about Green Premium >

Guide to assess a product's sustainability >



Transparency RoHS/REACh

Well-being performance



Rohs Exemption Information

Certifications & Standards

Reach Regulation	REACh Declaration
Eu Rohs Directive	Pro-active compliance (Product out of EU RoHS legal scope)
China Rohs Regulation	China RoHS declaration Product out of China RoHS scope. Substance declaration for your information
Environmental Disclosure	Product Environmental Profile
Circularity Profile	No need of specific recycling operations

Product datasheet

Image of product in real life situation

