

Polyester canopy for PLA enclosure W500xD320 mm - RAL7035

NSYTJPLA53G

Product availability: Non-Stock - Not normally stocked in distribution facility

Price*: 44.34 USD

Main

Range	Thalassa
accessory / separate part category	Enclosure accessory
Product or Component Type	Canopy
Application	Multi-purpose
Range compatibility	Thalassa Thalassa PLA
For enclosure nominal dimensions	-
mounting location	On top of enclosure
Device composition	1 canopy fixing elements drilling template

Complementary

•	
Material	polyester charged with fibreglass
color	Gray RAL 7035)
Fixing mode	By fixing element
Height	1.5 in (38 mm)
Width	19.7 in (500 mm)
Depth	12.6 in (320 mm)

Ordering and shipping details

Category	US10ES180034
Discount Schedule	0ES1
GTIN	3606480777394
Returnability	No
Country of origin	FS

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	1.969 in (5.000 cm)
Package 1 Width	13.583 in (34.500 cm)

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

Package 1 Length	21.063 in (53.500 cm)
Package 1 Weight	3.902 lb(US) (1.770 kg)
Unit Type of Package 2	S04
Number of Units in Package 2	5
Package 2 Height	11.811 in (30.000 cm)
Package 2 Width	15.748 in (40.000 cm)
Package 2 Length	23.622 in (60.000 cm)
Package 2 Weight	21.771 lb(US) (9.875 kg)
Unit Type of Package 3	P12
Number of Units in Package 3	20
Package 3 Height	17.717 in (45.000 cm)
Package 3 Width	31.496 in (80.000 cm)
Package 3 Length	47.244 in (120.000 cm)
Package 3 Weight	110.231 lb(US) (50.000 kg)



Green PremiumTM **label** is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >





Transparency RoHS/REACh

Well-being performance



Mercury Free



Rohs Exemption Information

Yes

Certifications & Standards

Reach Regulation	REACh Declaration
Eu Rohs Directive	Pro-active compliance (Product out of EU RoHS legal scope)
China Rohs Regulation	China RoHS declaration Product out of China RoHS scope. Substance declaration for your information.
Environmental Disclosure	Product Environmental Profile
Circularity Profile	No need of specific recycling operations

Image of product in real life situation

