# **Product data sheet**

Specifications



# Polyester canopy for PLA enclosure W500xD420 mm

#### Main

Range	Thalassa
accessory / separate part category	Enclosure accessory
Product or component type	Сапору
Application	Multi-purpose
Range compatibility	Thalassa Thalassa PLA
For enclosure nominal dimensions	-
mounting location	On top of enclosure
Device composition	1 canopy fixing elements drilling template

NSYTJPLA54G

## Complementary

Material	Polyester charged with fibreglass
Colour	Grey (RAL 7035)
Fixing mode	By fixing element
Height	38 mm
Width	500 mm
Depth	420 mm

## **Packing Units**

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	5.0 cm
Package 1 Width	43.5 cm
Package 1 Length	51.5 cm
Package 1 Weight	2.0 kg

## Sustainability Screen Premium

**Green Premium<sup>TM</sup> label** is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO<sub>2</sub> products.

**Guide to assessing product sustainability** is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Yes

Learn more about Green Premium >

Guide to assess a product's sustainability >



Transparency RoHS/REACh

#### Well-being performance



Rohs Exemption Information

#### **Certifications & Standards**

Reach Regulation	REACh Declaration
Eu Rohs Directive	Pro-active compliance (Product out of EU RoHS legal scope)
China Rohs Regulation	China RoHS declaration Product out of China RoHS scope. Substance declaration for your information
Environmental Disclosure	Product Environmental Profile
Circularity Profile	No need of specific recycling operations

# Product data sheet NSYTJPLA54G

Image of product in real life situation

