Product datasheet

Specifications





Set of 2 standard vertical rails for fixing of chassis and cross rails - 2200 mm

NSYVR22

Main

Range	PanelSeT	
Accessory / separate part categor	Mounting accessory	
Product or component type	Standard upright	
device application	Multi-purpose	
enclosure nominal dimensions	- H: 2200 mm	
Mounting support	Upright fixing bracket Mounting plate fixing bracket	
Range compatibility	PanelSeT PanelSeT SF PanelSeT PanelSeT SM	
Device composition	2 upright	
Quantity per set	Set of 1	
Material	Galvanised steel	

Complementary

Adjustment	Adjustable in height every 25 mm Adjustable in height every 50 mm
Length	2096 mm
Height	2200 mm
Width	50 mm
Depth	30 mm
Thickness	2 mm

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	3.5 cm
Package 1 Width	5.5 cm
Package 1 Length	210 cm
Package 1 Weight	5.644 kg
Unit Type of Package 2	PAL
Number of Units in Package 2	120
Package 2 Height	57 cm
Package 2 Width	220 cm

Package 2 Length	120 cm
Package 2 Weight	720 kg

Contractual warranty

Warranty 18 months



Green PremiumTM **label** is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >





Transparency RoHS/REACh

Well-being performance

Ø	Reach Free Of Svhc	
Ø	Toxic Heavy Metal Free	
Ø	Mercury Free	
	Rohs Exemption Information	Yes

Certifications & Standards

Reach Regulation	REACh Declaration
Eu Rohs Directive	Pro-active compliance (Product out of EU RoHS legal scope) EU RoHS Declaration
China Rohs Regulation	China RoHS declaration Pro-active China RoHS declaration (out of China RoHS legal scope)
Environmental Disclosure	Product Environmental Profile
Circularity Profile	No need of specific recycling operations