



PRODUCT-DETAILS

OETL800K3
OETL800K3 Switch-disconnector
"No longer for sale" replaced by



General Information	
Extended Product Type	OETL800K3
Product ID	1SCA022098R0980
EAN	6417019027272
Catalog Description	OETL800K3 Switch-disconnector
Long Description	Including phase barriers OETLZN 17, black IP65 handle OHB125J12 with I-O, ON-OFF - indication, shaft OXP12x166, length 166 mm and terminal bolt kit.

ABB EcoSolutions	
Environmental Information	1SCC301028D0201

Popular Downloads	
Data Sheet, Technical Information	1SCC301001C0201
Instructions and Manuals	1SCC301014M0004

Environmental

Environmental Information	1SCC301028D0201
---------------------------	-----------------

Ordering

Minimum Order Quantity	1 piece
Customs Tariff Number	85365080
Replacement Product ID (NEW)	1SCA022718R9410
Country of Origin	Finland (FI)

Dimensions

Product Net Weight	6.20 kg
--------------------	---------

Container Information

Package Level 1 Units	1 piece
Package Level 1 Width	276 mm
Package Level 1 Height	145 mm
Package Level 1 Gross Weight	6.20 kg
Package Level 1 EAN	6417019027272

Technical

Conventional Free-air Thermal Current (I_{th})	$\Theta = 40\text{ °C}$ 800 A
Conventional Thermal Current (I_{the})	Fully Enclosed 720 A
Number of Poles	3P
Position of Line Terminals	Top In - Bottom Out
Rated Operational Current AC-21A (I_g)	(380 ... 415 V) 800 A
Rated Operational Current AC-22A (I_g)	(380 ... 415 V) 800 A
Rated Operational Current AC-23A (I_g)	(380 ... 415 V) 720 A
Switches Operating Mechanism	Mechanism at the End of the Switch

Certificates and Declarations

BV Certificate	1SCC301049D0201
Declaration of Conformity - CE	1SCC301019D0202
DNV Certificate	1SCC301053D0201
GL Certificate	1SCC301044D0201
KEMA Certificate	1SCC301059D0201
LR Certificate	1SCC301041D0201

External Classifications and Standards

Object Classification Code	Q
UNSPSC	39122233

Categories

Low Voltage Products and Systems → Switches → Switch Disconnectors

