



PRODUCT-DETAILS

OTPA325A2P1

OTPA325A2P1 MS motor ProtectionEnclosure

"No longer for sale" replaced by

General Information	
Extended Product Type	OTPA325A2P1
Product ID	1SCA022576R5180
EAN	6417019186320
Catalog Description	OTPA325A2P1 MS motor ProtectionEnclosure
Long Description	Enclosure for MS225&325 motor protection. RedYellow Selector handle. Plastic enclosure. IP64. M20-threaded cable entry

Material Compliance	
RoHS Information	1SCC340034D0203
RoHS Status	Following EU Directive 2011/65/EU

Popular Downloads	
Instructions and Manuals	1SCC340002M0012

Environmental	
Degree of Protection	acc. to IEC 60529 IP64

Ordering	
Minimum Order Quantity	1 piece
Customs Tariff Number	85389099
Replacement Product ID (NEW)	1SAM201911R1010
Country of Origin	Finland (FI)

Dimensions	
Product Net Width	95 mm
Product Net Height	150 mm
Product Net Depth / Length	95 mm
Product Net Weight	0.4 kg

Container Information	
Package Level 1 Units	box 1 piece
Package Level 1 Width	132 mm
Package Level 1 Depth / Length	157 mm
Package Level 1 Height	120 mm
Package Level 1 Gross Weight	0.405 kg
Package Level 1 EAN	6417019186320

Technical	
Cable Entry Position	Up/Down
Cable Outlets Per Side	2xPg16 / 2xPg16
Degree of Protection	acc. to IEC 60529 IP64
Enclosure Material	Plastic
Enclosure Type	OTDCP
Handle Color	Red / Yellow
Handle Type	Selector handle
Position of Line Terminals	Top In - Bottom Out

External Classifications and Standards	
Object Classification Code	Q
ETIM 8	EC000249 - Protection switch disconnecter housing
UNSPSC	39121334
IDEA Granular Category Code (IGCC)	4492 >> Modular electrical enclosure
eClass	V11.1 : 27371413
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)

E-Number (Finland)

3707982

Categories

Low Voltage Products and Systems → Enclosed Switches → Enclosed Safety Switches → Accessories for Enclosed Safety Switches



The product is removed from product line
Please click the link to replacement product