




---

 PRODUCT-DETAILS

# P9PDTV0

## P9PDTV0 Lamp Block




---

### General Information

Extended Product Type	P9PDTV0
Product ID	1SFA187027R8000
EAN	7320500522943
Catalog Description	P9PDTV0 Lamp Block
Long Description	The P9PDTV0 Lamp Block is: Modular metal - Lamp Block - Brown - Illuminated - Front mounting - 380 V This Lamp Block is part of ABB's modular metal range designed for mining, construction and heavy industry applications, combining the highest reliability with the full flexibility of a modular range.

---

### Ordering

Minimum Order Quantity	10 piece
Customs Tariff Number	8536619090

---

### Popular Downloads

Data Sheet, Technical Information	1SFC151007C02__
Instructions and Manuals	1SFC151011M0201

---

## Dimensions

---

Product Net Width	9.5 mm
Product Net Height	36.3 mm
Product Net Depth / Length	39.5 mm
Product Net Weight	0.018 kg

---

## Technical

---

Ambient Air Temperature	Operation -30 ... 70 °C Storage -40 ... +70 °C
Color	Brown
Illumination	Illuminated
Lamp Type	Lamp test block for Ba9s socket for max 2W 380 V AC/DC LED
Mounting Type	Front mounting
Rated Frequency (f)	50 / 60 Hz
Rated Operational Voltage	Maximum 380 V
Connecting Capacity	Flexible with Ferrule 1 x 0.75...2.5 mm <sup>2</sup> Flexible with Ferrule 2 x 0.75...2.5 mm <sup>2</sup> Flexible with Insulated Ferrule 1 x 0.75...2.5 mm <sup>2</sup> Flexible with Insulated Ferrule 2 x 0.75...2.5 mm <sup>2</sup> Flexible 1 x 0.75 ... 2.5 mm <sup>2</sup> Flexible 2 x 0.75 ... 2.5 mm <sup>2</sup> Solid 1 x 0.75...2.5 mm <sup>2</sup> Solid 2 x 0.75...2.5 mm <sup>2</sup>
Connection Type	Screw Clamp
Terminal Type	Screw Terminals
Tightening Torque	0.9 N·m
Wire Stripping Length	8 mm

---

## Technical UL/CSA

---

Connecting Capacity	1x 18...14 AWG
UL/CSA	2x 18...14 AWG

---

## Environmental

---

Degree of Protection	Terminals IP20
----------------------	----------------

---

## Material Compliance

---

Conflict Minerals Reporting Template (CMRT)	9AKK108467A5658
REACH Declaration	2CMT2022-006479
RoHS Declaration	2CMT2022-006498
RoHS Information	Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019
Toxic Substances Control Act - TSCA	2CMT2023-006523
WEEE B2C / B2B	Business To Business
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)

---

## Certificates and Declarations

---

BV Certificate	2CMT2019-005867
----------------	-----------------

CB Certificate	2CMT2019-005874
CQC Certificate	CQC2019010304237361
CSA Certificate	2CMT2019-005868
cULus Certificate	2CMT2019-005868
Declaration of Conformity - CCC	2020980304001528
Declaration of Conformity - CE	2CMT2019-005862
Declaration of Conformity - UKCA	2CMT2020-006121
DNV GL Certificate	2CMT2019-005876
RINA Certificate	2CMT2019-005866
UL Certificate	2CMT2019-005868

---

## Container Information

Package Level 1 Units	bag 1 piece
Package Level 1 Width	120 mm
Package Level 1 Depth / Length	50 mm
Package Level 1 Height	180 mm
Package Level 1 Gross Weight	0.018 kg
Package Level 1 EAN	7320500522943

---

## External Classifications and Standards

ETIM 7	EC000204 - Lamp holder block for control circuit devices
ETIM 8	EC000204 - Lamp holder block for control circuit devices
eClass	V11.0 : 27371209
UNSPSC	39122221
IDEA Granular Category Code (IGCC)	5219 >> Switch part or accessory
E-Number (Finland)	2314728
E-Number (Sweden)	3705939

---

## Categories

Low Voltage Products and Systems → Control Products → Pilot Devices → Modular Metal Range P9M

