PB132 1/3



PRODUCT-DETAILS

PB132

DBL LEVER LKG PNL B32/C12/D80/DD144



General Information	
Extended Product Type	PB132
Product ID	7TAA080300R0010
EAN	5415022426052
Catalog Description	DBL LEVER LKG PNL B32/C12/D80/DD144
Long Description	Double lever locking panel base for use with B32, C12, D80 and DD144 series.

Ordering	
EAN	5415022426052
UPC	786210791258
Country of Origin	Germany
Selling Unit of Measure	each

Container Information	
Package Level 1 Units	10 EA
Package Level 1 Width	170.18 mm

PB132 2/3

	6.7 in
Package Level 1 Height	119.38 mm 4.7 in
Package Level 1 Depth /	312.42 mm
Length	12.3 in

Additional Information	
Application	For use with B32, C12, D80 and DD144 series
Brand / Label	Pos-E-Kon
Effective Date	19850103
Material	Die-Cast Aluminum Alloy
Product Name	HTS expired or not a valid HTS Number for Canada
Surface Finishing	Epoxy Powder Coated
Temperature Range	-40 to +257 °F
Voltage Rating	600 VA °C

Certificates and Declarations	
Data Sheet, Technical	PB132
Information	

External Classifications and Standards		
ETIM 7	EC000437 - Housing for rectangular connectors	
ETIM 8	EC000437 - Housing for rectangular connectors	
UNSPSC	39121424	
WEEE Category	Product Not in WEEE Scope	
IDEA Granular Category Code (IGCC)	4594 >> Terminal block covers	

Categories

 $Low\ Voltage\ Products\ and\ Systems \rightarrow Installation\ Products \rightarrow Wire\ Management\ and\ Connectivity \rightarrow Pin\ \&\ Sleeve\ Connectors$

PB132 3/3

