PB416 1/3



PRODUCT-DETAILS

## **PB416**

## **BASE PANEL MOUNT**



General Information	
Extended Product Type	PB416
Product ID	7TAA080300R0035
Catalog Description	BASE PANEL MOUNT
Long Description	Single lever locking panel base with cover. For use with B16, C6, V6, D40 and DD72 series.

Ordering	
UPC	786210790756
Country of Origin	Germany (DE)
Selling Unit of Measure	each

Container Information	
Package Level 1 Units	5 EA
Package Level 1 Width	88.9 mm
	3.5 in
Package Level 1 Height	152.4 mm

PB416 2/3

	6 in
Package Level 1 Depth /	241.3 mm
Length	9.5 in

Additional Information	
Application	For use with B16, C6, V6, D40 and DD72 series
Brand / Label	Pos-E-Kon
Current Rating	35 A
Effective Date	19841024
Material	Die-Cast Aluminum Alloy
Product Name	HTS expired or not a valid HTS Number for Canada
Special Functions	IP65 locked positions per DIN VDE 0470, IEC 529
Standards	CSA 57696000
Surface Finishing	Epoxy Powder Coated
Temperature Range	-40 to +257 °F
Voltage Rating	00 VA °C

## **Certificates and Declarations**

Data Sheet, Technical	PB416
Information	

Classifications	
ETIM 7	EC000437 - Housing for rectangular connectors
ETIM 8	EC000437 - Housing for rectangular connectors
UNSPSC	39121424
IDEA Granular Category Code (IGCC)	4594 >> Terminal block covers

## **Categories**

 $Low\ Voltage\ Products\ and\ Systems \rightarrow Installation\ Products \rightarrow Wire\ Management\ and\ Connectivity \rightarrow Pin\ \&\ Sleeve\ Connectors$ 

PB416 3/3





