RD3 1/3



PRODUCT-DETAILS

RD3

Residual Current Monitor



General Information	
Extended Product Type	RD3
Product ID	2CSJ201001R0002
EAN	8012542734833
Catalog Description	Residual Current Monitor
Long Description	The RD3 series of electronic residual current relays provides residual current protection and monitoring functions. This device can be used in conjunction with all MCBs of S200 series and Tmax range moulded case devices up to T5, for industrial installations.

Technical	
Type of Residual Current	Type A
Function	For mixed system
Rated Voltage (U _r)	400400 V
Rated Operational Voltage	230 400 V AC
Rated Control Supply	(50 Hz) 400400 V
Voltage (U _s)	(60 Hz) 400400 V
Current Rating	Response value amperage 1 500 500 mA

RD3 2/3

Rated Frequency (f)	50 60 Hz
Power Loss	3.6 W
Number of Contacts	2
Number of Contacts CO	1
Number of Contacts NC	0
Number of Contacts NO	0
Delay Time (T)	Delay-On Energization, Maximum, Permitted 10 second [unit of time] Delay-On Energization, Minimum, Adjustable 0 second [unit of time]
Mounting Type	DIN-Rail
Filter Option	no frequency filter
Options Provided	Pre-alarm threshold: no

Material Compliance	
RoHS Information	9AKK106713A5628
RoHS Status	Following EU Directive 2011/65/EU
RoHS Date	20091218
REACH Declaration	9AKK108467A9482
REACH Information	False - does not contain substances > 0.1 mass percentage
REACH Date	20240429
Conflict Minerals Reporting Template (CMRT)	9AKK108468A3363
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)
WEEE B2C / B2B	Business To Business

Dimensions	
Product Net Width	52.8 mm
Product Net Height	85 mm
Product Net Depth / Length	65 mm
Product Net Weight	223 g

Ordering	
Package Level 1 Units	box 1 piece
Package Level 1 Gross Weight	0.307 kg
E-Number (Finland)	2712037
E-Number (Norway)	1629772
E-Number (Sweden)	2100356

Certificates and Declarations	
Declaration of	9AKK106713A5628
Conformity - CE	

Installation	
Instructions and	2CSF423005D1002
Manuals	

RD3 3/3

Popular Downloads

Data Sheet, Technical 9AKK107046A0424 Information

External Classifications and Standards	
ETIM 8	EC001445 - Residual current monitoring relay
ETIM 9	EC001445 - Residual current monitoring relay
UNSPSC	39121601
eClass	V11.0 : 27371809
IDEA Granular Category Code (IGCC)	4875 >> Residual current circuit breaker (RCCB)
Object Classification Code	F
Standards	IEC EN 60947-2 Ann M

Categories

 $Low\ Voltage\ Products\ and\ Systems \rightarrow Modular\ DIN\ Rail\ Products \rightarrow Residual\ Current\ Devices\ RCDs \rightarrow Residual\ Current\ Monitors,\ RCMs$





