



bus jumper, Harmony Solid State Relays, Harmony Electromechanical Relays, connection accessory, 20 poles, RSLZ, SSLZ push-in sockets

RSLZ2

Product availability: Stock - Normally stocked in distribution facility

Price*: 4.64 USD

Main

Range Of Product	Harmony Solid State Relays Harmony Electromechanical Relays
Product Or Component Type	Bus jumper
Sale Per Indivisible Quantity	10

Complementary

Accessory / Separate Part Categor	Connection accessory	
Product Compatibility	RSLZ - socket SSLZ - socket	
Ip Degree Of Protection	IP00	
Accessory / Separate Part Destination	Slim interface relay socket	
Net Weight	0.01 lb(US) (0.003 kg)	

Ordering and shipping details

Category	US10CP221127
Discount Schedule	0CP2
Gtin	3606480078132
Returnability	Yes
Country Of Origin	CN

Packing Units

Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	0.12 in (0.3 cm)
Package 1 Width	0.67 in (1.7 cm)
Package 1 Length	4.80 in (12.2 cm)
Package 1 Weight	0.28 oz (8 g)
Unit Type Of Package 2	BB1
Number Of Units In Package 2	10

Price is "List Price" and may be subject to a trade discount - check with your local distributor or retailer for actual price.

Package 2 Height	0.79 in (2 cm)	
Package 2 Width	2.36 in (6 cm)	
Package 2 Length	5.12 in (13 cm)	
Package 2 Weight	2.82 oz (80 g)	
Unit Type Of Package 3	S03	
Number Of Units In Package 3	1000	
Package 3 Height	11.81 in (30 cm)	
Package 3 Width	11.81 in (30 cm)	
Package 3 Length	15.75 in (40 cm)	
Package 3 Weight	18.73 lb(US) (8.497 kg)	

Contractual warranty

Warranty 18 months



Green PremiumTM **label** is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >





Transparency RoHS/REACh

Well-being performance



Reach Free Of Svhc



Rohs Exemption Information

Yes


Certifications & Standards

Reach Regulation	REACh Declaration
Eu Rohs Directive	Pro-active compliance (Product out of EU RoHS legal scope) EU RoHS Declaration
China Rohs Regulation	China RoHS declaration
Environmental Disclosure	Product Environmental Profile
Circularity Profile	End of Life Information
California Proposition 65	WARNING: This product can expose you to chemicals including: Nickel compounds, which is known to the State of California to cause cancer, and Di-isodecyl phthalate (DIDP), which is known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov

Connections and Schema


Wiring Diagram

Side View - Coil Side



- **(1)** A1
- (**2**) A2
- (3) Bus jumper polarity A1
- (4) Bus jumper polarity A2

Side View - Contact Side



(1) Do not exceed 2A max per relay when using RSLZ2 on the contact side