

PRODUCT-DETAILS

S2-A1

S2-A1 Shunt Trip



General Information

Extended Product Type	S2-A1
Product ID	GHS2801909R0001
EAN	4012233429301
Catalog Description	S2-A1 Shunt Trip
Long Description	S2-A1 12- 60V AC/DC SHUNT-TRIP

Technical

Standards	CSA 22.2 No. 235 UL 1077
Tripping Characteristic	Accessory
Function	Shunt Trip
Suitable For	S280 S280UC
Suitable for Product Class	Miniature Circuit Breaker
Rated Control Circuit Voltage (U _c)	12 ... 60 V DC

Environmental

RoHS Status	Following EU Directive 2011/65/EU
-------------	-----------------------------------

Dimensions

Product Net Width	17.5 mm
Product Net Height	90 mm
Product Net Depth / Length	68 mm
Product Net Weight	0.09 kg

Container Information

Package Level 1 Units	1 piece
Package Level 1 Width	38 mm
Package Level 1 Height	110 mm
Package Level 1 Depth / Length	126 mm
Package Level 1 Gross Weight	0.145 kg
Package Level 1 EAN	4012233429301

Ordering

Minimum Order Quantity	1 piece
Customs Tariff Number	85365080
E-Number (Finland)	3217905
E-Number (Sweden)	2102614
Country of Origin	Germany (DE)

Certificates and Declarations (Document Number)

Declaration of Conformity - CE	GNGN040506
Instructions and Manuals	2CSC400002D0208
RoHS Information	2CDK440016K0201

Popular Downloads

Data Sheet, Technical Information	9AKK106930A8017
Instructions and Manuals	2CSC400002D0208

Classifications

ETIM 7	EC001286 - Auxiliary device for distribution board devices
ETIM 8	EC001286 - Auxiliary device for distribution board devices
EPLAN Catalog Tree	Electrical engineering / Protection devices / General
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)
WEEE B2C / B2B	Business To Consumer
CN8	8536 50 80
UNSPSC	39121614
eClass	V11.0 : 27143502
IDEA Granular Category Code (IGCC)	4879 >> Shunt release (for power circuit breaker)

Categories

Low Voltage Products and Systems → Modular DIN Rail Products → Miniature Circuit Breakers MCBs Accessories → Shunt Trips

