

PRODUCT-DETAILS

S2C-H10

S2C-H10 - Auxiliary Contact



General Information

| | |
|-----------------------|---|
| Extended Product Type | S2C-H10 |
| Product ID | 2CDS200970R0032 |
| EAN | 4016779065139 |
| Catalog Description | S2C-H10 - Auxiliary Contact |
| Long Description | S2C-H10 Bottom-fitting auxiliary contact 1NO with slider for MCB + AFDD |

Ordering

| | |
|------------------------|---------------|
| EAN | 4016779065139 |
| Minimum Order Quantity | 1 piece |
| Customs Tariff Number | 85365080 |

Dimensions

| | |
|----------------------------|----------|
| Product Net Width | 17.4 mm |
| Product Net Height | 21.2 mm |
| Product Net Depth / Length | 23.1 mm |
| Product Net Weight | 0.008 kg |

Container Information

| | |
|-----------------------|---------|
| Package Level 1 Units | 1 piece |
|-----------------------|---------|

| | |
|--------------------------------|---------------|
| Package Level 1 Width | 20 mm |
| Package Level 1 Height | 125 mm |
| Package Level 1 Depth / Length | 106 mm |
| Package Level 1 Gross Weight | 0.012 kg |
| Package Level 1 EAN | 4016779065139 |
| Package Level 2 Units | 60 piece |
| Package Level 2 EAN | 4016779065153 |

Environmental

| | |
|-------------|-----------------------------------|
| RoHS Status | Following EU Directive 2011/65/EU |
|-------------|-----------------------------------|

Additional Information

| | |
|----------------------------|---|
| Power Loss | 0.5 W |
| Product Main Type | S2C |
| Product Name | Auxiliary Contact |
| RoHS Date | 0335 |
| Standards | CSA 22.2 No. 235 GB14048.5 UL 1077 |
| Suitable For | S200 S200M S200MT S200MUC S200P S200S DS-ARC1 SD200 DS201(2019) |
| Suitable for Product Class | Miniature Circuit Breaker Residual Current Device |

Certificates and Declarations (Document Number)

| | |
|-----------------------------------|-----------------|
| Data Sheet, Technical Information | 9AKK106930A8017 |
| Declaration of Conformity - CE | 2CDK400628D2701 |
| Environmental Information | 2CDK400571D0201 |
| Instructions and Manuals | 9AKK107680A3431 |
| RoHS Information | 2CDK440032D0203 |

Classifications

| | |
|---------------|--|
| ETIM 5 | EC001286 - Auxiliary contact unit for distribution board |
| ETIM 6 | EC001286 - Auxiliary contact unit for distribution board |
| ETIM 7 | EC001286 - Auxiliary device for distribution board devices |
| UNSPSC | 39121614 |
| WEEE Category | 5. Small Equipment (No External Dimension More Than 50 cm) |
| eClass | 7.0 27143502 |

Categories

Low Voltage Products and Systems → Modular DIN Rail Products → Miniature Circuit Breakers MCBs Accessories → Auxiliary / Signal Contacts

