

85 mm

69 mm

PRODUCT-DETAILS

Product Net Height

Product Net Depth /

S2C-H20L - Auxiliary Contact



General Information	
Extended Product Type	S2C-H20L
Product ID	2CDS200936R0002
EAN	4016779648837
Catalog Description	S2C-H20L - Auxiliary Contact
Long Description	Indication of the position of the device's contacts. To be mounted on the left side of the MCBs. Suitable for MCBs S 200 series.
Ordering	
E-Number (Finland)	3210848
E-Number (Sweden)	2102506
EAN	4016779648837
Minimum Order Quantity	1 piece
Customs Tariff Number	85365080
Dimensions	
Product Net Width	8.8 mm

٠				
ı	e	nc	11	n

Product Net Weight	0.055 kg

Container Information	
Package Level 1 Units	1 piece
Package Level 1 Width	20 mm
Package Level 1 Height	115 mm
Package Level 1 Depth / Length	104 mm
Package Level 1 Gross Weight	0.058 kg
Package Level 1 EAN	4016779648837

Environmental

RoHS Status Following EU Directive 2011/65/E
--

Additional Information	
Accessory Type	Auxiliary Contact
Function	Auxiliary Contact
Power Loss	1 W Maximum 1 W
Product Main Type	S2C
Product Name	Auxiliary Contact
RoHS Date	0335
Suitable For	\$200 \$200M \$200P \$200S
Suitable for Product Class	Miniature Circuit Breaker

Certificates and Declarations (Document Number)	
Data Sheet, Technical Information	9AKK106930A8017
Declaration of Conformity - CE	2CDK400628D2701
Environmental Information	2CDK400571D0201
Instructions and Manuals	GHS2007017P0017
RoHS Information	2CDK440032D0203

Classifications	
ETIM 4	EC001286 - Auxiliary contact unit for distribution board
ETIM 5	EC001286 - Auxiliary contact unit for distribution board
ETIM 6	EC001286 - Auxiliary contact unit for distribution board
ETIM 7	EC001286 - Auxiliary device for distribution board devices

UNSPSC 39121614
WEEE Category 5. Small Equipment (No External Dimension More Than 50 cm)
eClass 7.0 27143502

Categories

Low Voltage Products and Systems → Modular DIN Rail Products → Miniature Circuit Breakers MCBs Accessories → Auxiliary / Signal Contacts





