

PRODUCT-DETAILS

S2C-UA 24 DC Undervoltage Release



General Information	
Extended Product Type	S2C-UA 24 DC
Product ID	2CSS200911R0007
EAN	8012542896401
Catalog Description	Undervoltage Release
Long Description	The S2C-UA 24 DC undervoltage release has the function to protect the load in case of a voltage drop included between 70% and 35% of its rated value. Positive safety (device tripping when the voltage is disconnected) emergency stop by means of a button. Suitable for MCBs S200 series, RCCBs F200 series and RCBOs DS201, DS202C, DS200 series. It can be used with MCBs SN201 series by means of SN201-IH interface module. Rated voltage: 24V d.c.

Technical		
Suitable For		S200 S300P SN201
		F200 DS201 DS202C DS200 DS203NC
© 2024 ABB. All rights reserved.	2024/12/26	Subject to change

e without notice

	DSE201 M SD200 DS-ARC1 S-ARC1
Suitable for Product	Miniature Circuit Breakers MCBs
Class	Residual Current Devices RCDs
	Residual Current Breakers with Overload Protection RCBo
Rated Voltage (U _r)	24 V
Power Loss	2 W
Number of Contacts CO	0
Number of Contacts NC	0
Number of Contacts NO	0
Number of Switches	1

Material Compliance	
RoHS Information	9AKK106713A5575
RoHS Status	Following EU Directive 2011/65/EU
RoHS Date	20220528
REACH Declaration	9AKK108467A9482
REACH Information	True - contains substances > 0.1 mass percentage
REACH Date	20240429
Conflict Minerals Reporting Template (CMRT)	9AKK108468A3363
Environmental	
Environmental Information	document not needed
intornation	
Dimensions	10
Dimensions Product Net Width	
Dimensions Product Net Width Product Net Height Product Net Depth /	85 mr
Dimensions Product Net Width Product Net Height	85 mm 74 mm
Dimensions Product Net Width Product Net Height Product Net Depth / Length	18 mm 85 mm 74 mm 90 g
Dimensions Product Net Width Product Net Height Product Net Depth / Length Product Net Weight	85 mm 74 mm
Dimensions Product Net Width Product Net Height Product Net Depth / Length Product Net Weight Ordering	85 mm 74 mm 90 <u>c</u> box 1 piece
Dimensions Product Net Width Product Net Height Product Net Depth / Length Product Net Weight Ordering Package Level 1 Units Package Level 1 Gross	85 mm 74 mm 90 g

Certificates and Declarations	
Declaration of Conformity - CE	9AKK106713A5575

Installation

Instructions and Manuals 2CSS490001D0010

ETIM 8	EC001286 - Auxiliary device for distribution board devices
ETIM 9	EC001286 - Auxiliary device for distribution board devices
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)
WEEE B2C / B2B	Business To Consumer
CN8	85389099
UNSPSC	39121010
eClass	V11.0 : 27143502
IDEA Granular Category Code (IGCC)	4148 >> Under voltage coil
Object Classification Code	Q

Categories

Low Voltage Products and Systems \rightarrow Modular DIN Rail Products \rightarrow ABB VY \rightarrow Busbars and Accessories ABB VY \rightarrow Accessories ABB VY \rightarrow VY

Low Voltage Products and Systems \rightarrow Modular DIN Rail Products \rightarrow Miniature Circuit Breakers MCBs \rightarrow Miniature Circuit Breakers MCBs Accessories \rightarrow Undervoltage Releases

Low Voltage Products and Systems \rightarrow Modular DIN Rail Products \rightarrow Protection Against Arc Faults AFDDs \rightarrow Protection Against Arc Faults AFDDs Accessories \rightarrow Accessories for Arc Fault Detection Devices with Integrated Overcurrent and Residual Current Protection - AFDD+RCBO

 $\label{eq:low-Voltage-Products} \ and \ Systems \rightarrow Modular \ DIN \ Rail \ Products \rightarrow Protection \ Against \ Arc \ Faults \ AFDDs \ \rightarrow \ Protection \ Against \ Arc \ Faults \ AFDDs \ Accessories \ \rightarrow \ Accessories \ for \ Arc \ Fault \ Detection \ Devices \ with \ Integrated \ Overcurrent \ Protection \ - \ AFDD+MCB$







360