Product datasheet

Specification





Heat sink, Harmony, panel mount, thermal resistance 0.2 degree C W

SSRHP02

Main

Range Of Product	Harmony Solid State Relays
Product Or Component Type	Heat sink

Complementary

•	
Product Compatibility	1 solid state relay SSR on panel
Thermal Resitance	0.2 °C/W
Mounting Support	Panel
Material	Aluminium
Surface Finish	Black anodized
Surface And Useful Surface	6823 cm²
Number Of Mounting Holes	6 with UNC 8-32 thread
Tightening Torque	1.72.2 N.m
Sale Per Indivisible Quantity	1
Width	247.7 mm
Height	250 mm
Depth	57.9 mm
Net Weight	2.592 kg

Packing Units

Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	10.8 cm
Package 1 Width	17.2 cm
Package 1 Length	17.2 cm
Package 1 Weight	1.51 kg
Unit Type Of Package 2	S03
Number Of Units In Package 2	4
Package 2 Height	30.0 cm
Package 2 Width	30.0 cm
Package 2 Length	40.0 cm
Package 2 Weight	6.04 kg



Green PremiumTM **label** is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >



RoHS/REACh

Well-being performance

⊘	Reach Free Of Svhc	
9	Toxic Heavy Metal Free	
⊘	Mercury Free	
⊘	Rohs Exemption Information	Yes

Certifications & Standards

Reach Regulation	REACh Declaration
Eu Rohs Directive	Pro-active compliance (Product out of EU RoHS legal scope) EU RoHS Declaration
China Rohs Regulation	China RoHS declaration
Circularity Profile	No need of specific recycling operations

Dimensions Drawings

Dimensions

