



PRODUCT-DETAILS

SUP201M-C15-V1

Miniature Circuit Breaker - SUP200M - 1P - 15 A
- C



General Information	
Extended Product Type	SUP201M-C15-V1
Product ID	2CDS271336R0154
EAN	4016779057417
Catalog Description	Miniature Circuit Breaker - SUP200M - 1P - 15 A - C
Long Description	SUP201M-C15-V1 Miniature Circuit Breaker C-Char., 14kA, 15A, 1P

Technical	
Standards	UL 489
Tripping Characteristic	C
Rated Operational Voltage	acc. to IEC 60898-1 230 V acc. to IEC 60947-2 240 V
Rated Insulation Voltage (U _i)	acc. to IEC/EN 60664-1 440 V
Primary Rated Impulse Withstand Voltage	4 kV
Input Voltage Type	AC
Rated Current (I _n)	15 A

Rated Ultimate Short-Circuit Breaking Capacity (I_{cu})	(230 V) 15 kA (400 V) 15 kA
Rated Conditional Short-Circuit Current (I_{nc})	(230 V) 10 kA (400 V) 10 kA
Rated Frequency (f)	50 / 60 Hz
Power Loss	2.4 W at Rated Operating Conditions per Pole 2.4 W
Energy Limiting Class	3
Number of Protected Poles	1
Number of Poles	1P
Overvoltage Category	III
Accessories Available	Yes
Connecting Capacity	Flexible 0.75 ... 25 mm ² Rigid 0.75 ... 35 mm ²

Material Compliance

RoHS Status	No declaration needed
REACH Declaration	9AKK107492A1906
REACH Information	True - contains substances > 0.1 mass percentage
REACH Date	20240821
Conflict Minerals Reporting Template (CMRT)	9AKK108468A3363

Environmental

Ambient Air Temperature	Operation -25 ... +55 °C
Degree of Protection	IP20
Pollution Degree	3

Dimensions

Width in Number of Modular Spacings	1.0
Product Net Width	17.5 mm
Product Net Height	111 mm
Product Net Depth / Length	69 mm
Product Net Weight	0.125 kg
Built-In Depth (t ₂)	69 mm

Ordering

Package Level 1 Units	carton 10 piece
Package Level 1 Gross Weight	1.262 kg

Certificates and Declarations

Declaration of	No declaration needed
----------------	-----------------------

Conformity - CE	
Certification Agency	UL

Installation

Instructions and Manuals	9AKK1074920598
--------------------------	----------------

Popular Downloads

Data Sheet, Technical Information	9AKK1074920598
-----------------------------------	----------------

Classifications

ETIM 8	EC000042 - Miniature circuit breaker (MCB)
ETIM 9	EC000042 - Miniature circuit breaker (MCB)
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)
WEEE B2C / B2B	Business To Business
CN8	8536 20 10
UNSPSC	39121603
eClass	V11.0 : 27141901
IDEA Granular Category Code (IGCC)	4899 >> Miniature circuit breaker (MCB) screw-in model

Categories

Low Voltage Products and Systems → Modular DIN Rail Products → Miniature Circuit Breakers MCBs → Miniature Circuit Breakers MCBs

