


PRODUCT-DETAILS

SZ-PSB12N

SZ-PSB12N Busbars and Accessories (IEC Range)



General Information

Extended Product Type	SZ-PSB12N
Product ID	GHL5201916R0006
EAN	4016779294300
Catalog Description	SZ-PSB12N Busbars and Accessories (IEC Range)
Long Description	SZ-PSB 12N BUSBAR FOR SUR. ARRST.

Technical

Rated Operational Voltage	690 V Maximum 690 V
Voltage Protection Level (Up)	4.5 kV
Rated Short-time Withstand Current Low Voltage (I_{cw})	25 kA
Rated Uninterrupted Current (I_u)	80 A
Pitch	44698.0
Number of Poles	60
Number of Phases	3
Number of Mountable Devices	20
Accessory Type	Busbar
Connection Type	Pin
Rated Cross-Section	16 mm ²

Environmental

RoHS Status	Following EU Directive 2011/65/EU
-------------	-----------------------------------

Dimensions

Product Net Width	18 mm
Product Net Height	29 mm
Product Net Depth / Length	10500 mm
Product Net Weight	0.725 kg
Product Net Length	10500 mm

Container Information

Package Level 1 Units	10 piece
Package Level 1 Width	89 mm
Package Level 1 Height	69 mm
Package Level 1 Depth / Length	165 mm
Package Level 1 Gross Weight	7.65 kg

Ordering

Minimum Order Quantity	1 piece
Customs Tariff Number	85389099
E-Number (Sweden)	2102673
Country of Origin	Germany (DE)

Certificates and Declarations (Document Number)

Declaration of Conformity - CE	2CDK446006D0401
Instructions and Manuals	No document needed

Popular Downloads

Data Sheet, Technical Information	No document needed
Instructions and Manuals	No document needed

Classifications

ETIM 7	EC000215 - Phase busbar
ETIM 8	EC000215 - Phase busbar
EPLAN Catalog Tree	Electrical engineering / Protection devices / General
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)
WEEE B2C / B2B	Business To Consumer
CN8	8538 90 99
UNSPSC	39121614
eClass	V11.0 : 27371306

Object Classification
Code

W

Categories

Low Voltage Products and Systems → Modular DIN Rail Products → Miniature Circuit Breakers MCBs Accessories → Busbars and Accessories (IEC Range)

