# **Product data sheet**

Specifications





NEMA Contactor, TeSys N, reversing, Size 2, 45A, 25HP at 460VAC, 3 pole, 3 phase, 24VDC coil, open

T02DN23BD

① Discontinued

- ! Discontinued on: Jul 12, 2021
- ! End-of-service on: Aug 2, 2021

#### Main

Product Type	Contactor	
Range	TeSys N	
Contactor Type	Reversing	
Nema Size	2	
Motor Horsepower Rating Hp	10 hp 200 V AC 15 hp 230 V AC 25 hp 460 V AC 25 hp 575 V AC	

## Complementary

Rated Current	45 A
[Ue] Rated Operational Voltage	600 V AC
Network Phases	Common control circuit
Number Of Poles	24 V DC
Control Circuit	3P
Coil Volltage	3 phases
Auxiliary Contact Composition	1 NO + 1 NC
Electrical Connection	Screw clamp terminals

#### **Environmental**

Product Certifications	UL listed CSA
Nema Degree Of Protection	Not rated (open device)

## **Packing Units**

Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	2.56 in (6.5 cm)
Package 1 Width	5.31 in (13.5 cm)
Package 1 Length	6.10 in (15.5 cm)
Package 1 Weight	4.63 lb(US) (2.1 kg)

Jun 24, 2024 Life Is On Schneider



**Green Premium**<sup>TM</sup> **label** is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO<sub>2</sub> products.

**Guide to assessing product sustainability** is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >





Transparency RoHS/REACh

### Well-being performance

<b>②</b>	Reach Free Of Svhc
<b>②</b>	Toxic Heavy Metal Free
<b>⊘</b>	Mercury Free
<b>⊘</b>	Rohs Exemption Information Yes
<b>②</b>	Pvc Free

#### **Certifications & Standards**

Eu Rohs Directive	Compliant
	EU RoHS Declaration
China Rohs Regulation	China RoHS declaration  Pro-active China RoHS declaration (out of China RoHS legal scope)
Environmental Disclosure	Product Environmental Profile
Circularity Profile	End of Life Information