Specifications



NEMA Contactor, TeSys N, nonreversing, Size 7, 810A, 600HP at 460VAC, 3 pole, 3 phase, 120VAC 50/60Hz coil, open

T02JN13F7

Product availability: Non-Stock - Not normally stocked in distribution facility

Price*: 19,594.00 USD

Main

| Contactor |
|-----------------|
| TeSys N |
| Non-reversing |
| 7 |
| 300 hp 230 V AC |
| 600 hp 460 V AC |
| 600 hp 575 V AC |
| - |

Complementary

| Rated Current | 810 A |
|--------------------------------|-------------------------|
| [Ue] Rated Operational Voltage | 600 V AC |
| Network Phases | 3 phase |
| Number of Poles | 3P |
| Control Circuit | Common control circuit |
| Coil Volltage | 120 V AC |
| Auxiliary Contact Composition | 1 NO |
| Electrical Connection | Lugs ordered separately |
| Height | 11.97 in (304.04 mm) |
| Width | 12.17 in (309.12 mm) |
| Depth | 10.05 in (255.27 mm) |
| Product Weight | 40.83 lb(US) (18.52 kg) |
| | |

Environmental

| NEMA Degree of Protection | Naturated (amon device) |
|---------------------------|-------------------------|
| Product Certifications | UL Listed CSA |

NEMA Degree of Protection Not rated (open device)

Ordering and shipping details

| Category | US10CP121197 |
|-------------------|--------------|
| Discount Schedule | 0CP1 |
| GTIN | 785901460510 |

Price is "List Price" and may be subject to a trade discount - check with your local distributor or retailer for actual price.

| Returnability | No |
|-------------------|----|
| Country of origin | FR |

Packing Units

| Unit Type of Package 1 | PCE |
|------------------------------|----------------------------|
| Number of Units in Package 1 | 1 |
| Package 1 Height | 12.000000000 in (30.48 cm) |
| Package 1 Width | 27.000000000 in (68.58 cm) |
| Package 1 Length | 20.50 in (52.07 cm) |
| Package 1 Weight | 40.83 lb(US) (18.52 kg) |

Sustainability

Green Premium[™] label is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >

Well-being performance

| Mercury Free | |
|----------------------------|---|
| Rohs Exemption Information | Yes |
| Reach Regulation | REACh Declaration |
| Eu Rohs Directive | Compliant with Exemptions |
| China Rohs Regulation | China RoHS declaration Product out of China RoHS scope. Substance declaration for your information. |
| California Proposition 65 | WARNING: This product can expose you to chemicals including: Antimony oxide & Antimony trioxide, which is known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov |