



CANopen preassembled cable, for CANopen bus, 1m, 1 x RJ45, 1 female SUB D 9

TCSCCN4F3M1T

Main

Range of product	CANopen Twido Modicon M238 Magelis XBT GC, GT/GK with control Modicon M258 Modicon LMC058	
Range compatibility		
Bus type	CANopen	
Accessory / separate part categor	Connection accessory	
accessory / separate part type	Connecting cable	
Product or component type	CANopen preassembled cable	
Accessory / separate part destination	CANopen bus	

Complementary

Cable length	1 m
Electrical connection	2 connectors
Connector type	1 RJ45 1 female SUB-D 9

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	2.000 cm
Package 1 Width	12.000 cm
Package 1 Length	13.000 cm
Package 1 Weight	72.000 g
Unit Type of Package 2	S03
Number of Units in Package 2	100
Package 2 Height	30.000 cm
Package 2 Width	30.000 cm
Package 2 Length	40.000 cm
Package 2 Weight	7.871 kg
Unit Type of Package 3	P06
Number of Units in Package 3	800
Package 3 Height	75.000 cm

Package 3 Width	60.000 cm
Package 3 Length	80.000 cm
Package 3 Weight	75 804 kg

Contractual warranty

Warranty 18 months

Sustainability

Green PremiumTM label is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >

Well-being performance

	Reach Free Of Svhc	
	Toxic Heavy Metal Free	
	Mercury Free	
⊘	Rohs Exemption Information	Yes
Rea	ch Regulation	REACh Declaration
Eu F	Rohs Directive	Pro-active compliance (Product out of EU RoHS legal scope) EU RoHS Declaration
Chir	na Rohs Regulation	China RoHS declaration