



PRODUCT-DETAILS

# TELE MP AC 230V

## Motor operating device



General Information	
Extended Product Type	TELE MP AC 230V
Product ID	4TQA670901R0000
EAN	5413656709015
Catalog Description	Motor operating device
Long Description	The Tele MP allows to remotely open or close any MCB, RCCB, RCBO by means of a push-button or any other automatic management processor (PLC..).

Technical	
Rated Operational Voltage	240 V AC
Rated Frequency (f)	50 / 60 Hz
Terminal Type	Screw Terminals

Material Compliance	
RoHS Status	Following EU Directive 2011/65/EU

Conflict Minerals Reporting Template (CMRT)	9AKK108468A3363
SCIP	1c07d539-75b2-4b64-a0c0-8a0359e15288 Poland (PL)

Dimensions

Width in Number of Modular Spacings	4
Product Net Width	0.066 m
Product Net Height	0.086 m
Product Net Depth / Length	0.08 m
Product Net Weight	0.369 kg
Dimension Diagram	No document available

Ordering

Package Level 1 Units	box 1 piece
Package Level 1 Gross Weight	0.391 kg

Certificates and Declarations

Declaration of Conformity - CE	No declaration needed
--------------------------------	-----------------------

Installation

Instructions and Manuals	No document needed
Wiring Diagram	No document needed

Popular Downloads

Data Sheet, Technical Information	No document needed
-----------------------------------	--------------------

External Classifications and Standards

ETIM 8	EC001030 - Motor operator for power circuit-breaker
ETIM 9	EC001030 - Motor operator for power circuit-breaker
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)
WEEE B2C / B2B	Business To Business
CN8	85389099
eClass	V11.0 : 27370412
Object Classification Code	Q

---

**Categories**

---

Low Voltage Products and Systems → Modular DIN Rail Products → AEG → Busbars and Accessories

