

PRODUCT-DETAILS

TH806H075MV B6 SGL LOCK SYS 1XPG21-3/4 TOP



| General Information | |
|-----------------------|---|
| Extended Product Type | TH806H075MV |
| Product ID | 7TAA080250R0036 |
| Catalog Description | B6 SGL LOCK SYS 1XPG21-3/4 TOP |
| Long Description | Top entry single post hood, NPT entry-1 Inch x 3/4 Inch |

| Ordering | |
|-------------------------|--------------|
| UPC | 786209987761 |
| Country of Origin | Germany |
| Selling Unit of Measure | each |

| Container Information | |
|-------------------------|--------------------|
| Package Level 1 Units | 10 EA |
| Package Level 1 Width | 139.7 mm 5.5 in |
| Package Level 1 Height | 101.6 mm 4 in |
| Package Level 1 Depth / | 330.2 mm |

TH806H075MV 2/3

Length 13 in

Environmental

RoHS Status Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019

Additional Information Brand / Label Pos-E-Kon Effective Date 20111002 Material Die-Cast Aluminum Alloy **Product Name** HTS expired or not a valid HTS Number for Canada Hoods-Standard Mount Product Type Standards UL E215386 Surface Finishing **Epoxy Powder Coated** Temperature Range -40 to +257 °F

Certificates and Declarations

Data Sheet, Technical TH806H075MV Information

| External Classifications and Standards | |
|--|---|
| ETIM 7 | EC000437 - Housing for rectangular connectors |
| ETIM 8 | EC000437 - Housing for rectangular connectors |
| UNSPSC | 39121424 |
| WEEE Category | Product Not in WEEE Scope |
| IDEA Granular Category | 4594 >> Terminal block covers |

Categories

Code (IGCC)

 $Low\ Voltage\ Products\ \to\ Installation\ Products\ \to\ Wire\ Management\ and\ Connectivity\ \to\ Pin\ \&\ Sleeve\ Connectors$

TH806H075MV 3/3

