TH816MV 1/3



PRODUCT-DETAILS

## **TH816MV**

## B16 TOP ENT SGL LOCK SYS 1XPG21-3/4



General Information	
Extended Product Type	TH816MV
Product ID	7TAA080250R0058
EAN	5415022252200
Catalog Description	B16 TOP ENT SGL LOCK SYS 1XPG21-3/4
Long Description	Top entry single post hood, NPT entry-1 Inch x 3/4 Inch

Ordering	
EAN	5415022252200
UPC	786209987242
Country of Origin	Germany
Selling Unit of Measure	each

Container Information	
Package Level 1 Units	5 EA
Package Level 1 Width	147.32 mm

TH816MV 2/3

	5.8 in
Package Level 1 Height	86.36 mm 3.4 in
Package Level 1 Depth / Length	238.76 mm 9.4 in

Additional Information	
Brand / Label	Pos-E-Kon
Effective Date	20111002
Material	Die-Cast Aluminum Alloy
Product Name	HTS expired or not a valid HTS Number for Canada
Standards	UL e215386, CSA 70013
Surface Finishing	Epoxy Powder Coated
Temperature Range	-40 to +257 °F
Voltage Rating	600 VA °C

Certificates and Declarations	
Data Sheet, Technical	TH816MV
Information	

External Classifications and Standards	
ETIM 7	EC000437 - Housing for rectangular connectors
ETIM 8	EC000437 - Housing for rectangular connectors
UNSPSC	39121424
WEEE Category	Product Not in WEEE Scope
IDEA Granular Category Code (IGCC)	4594 >> Terminal block covers

## Categories

 $Low\ Voltage\ Products\ and\ Systems \rightarrow Installation\ Products \rightarrow Wire\ Management\ and\ Connectivity \rightarrow Pin\ \&\ Sleeve\ Connectors$ 

TH816MV 3/3





